

Data Sheet Fujitsu CELVIN® Drive D100 Accessories Storage

Extended storage

The CELVIN® Drive D100 is a highly reliable external storage device with a standard USB-interface for easy Plug & Play use with a notebook or PC. It is also easy to set up additional home network capacity by connecting it with dedicated routers or NAS devices.

Design

- Extremely stable and elegant housing
- Perfect heat dissipation enables very secure storing of all of your data

Energy saving with power management

- Automatic Power Down: automatic shutdown after 10 minutes of inactivity or when host runs in sleep mode
- GREEN SLEEP: 0.8 W power consumption in standby-mode

Usability

- Simply plug in to any computer 's USB port
- Ideal for professional and home usage





CELVIN® Drive D100

Technical specifications			
Hard disk capacity	500 GB - 2 TB		
Hard disk type	SATA		
Hard disk spindle speed	> 5400 rpm to < 7200 rpm		
Hard disk notes	Capacity indicated by software or operating system can be less due to operating system restrictions and formatting.		
Required interface	USB 2.0		
Transfer rate	average read speed 32.6 MB / sec		
	average write speed 28.2 MB / sec		
	Max. transfer rates: up to 480 Mbit/s with USB 2.0		
LED	LED on rear side flickering as indication for data access		
Color	Black		
Network protocols	NITEC (,)		
File System Management	NTFS pre-formated		
Interfaces			
USB 2.0 total	1		
Electrical values			
Power consumption	max. 9W operating mode, 0.8W in standby mode (EUP compliant)		
Power management	Supports power saving mode on host computer (depending on operating system)		
	HDD shut down after 10 min of inactivity		
Power supply input	EU power adapter; Input: 100V – 240V AC		
Power supply output	12VDC / 1.5A		
Rated frequency range	50 Hz - 60 Hz		
Compatibility (references)			
Europe	CE		
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/		
Dimensions / Weight			
Dimensions (W x D x H)	117 x 210 x 37 mm		
Weight	~1kg incl. USB power cable and AC adapter		
Operating ambient temperature	0 - 35°C		
System requirements	LICD 2 0		
Required interface	USB 2.0		
Software support (Operating system)	Windows® XP Windows® 7		
	Windows® 7 Windows Vista®		
	WILIOWS AISIG		
Package content			
	CELVIN® Drive D100		
	USB cable		
	Power supply Quick Installation Guide		
	Manual on HDD		
	- Wanda On HUU		
Order information	6060/4 5400 : : : -	5.N. (0/00000000000000000000000000000000000	500.60
	S26341-F103-L115	EAN: 4049699274022	500 GB
	S26341-F103-L116	EAN: 4049699274077	1000 GB
	S26341-F103-L118	EAN: 4049699274084	2000 GB

Page 2 / 3

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu CELVIN® Drive D100, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu CELVIN® Drive D100, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/accessories

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2012-10-17 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions