

DATASHEET

FUJITSU CAR ADAPTER LIGHT ACCESSORIES

GET YOUR SYSTEM POWERED

People who are often on business or private trips want to power up and recharge their handhelds, tablet PCs and notebooks anywhere and anytime. Fujitsu goal is it to anticipate our customers wishes and therefore we offer the lightweight Car / truck - adapter for usage in cars, lorries, boats and caravans. This power adapter fulfils two basic functions: charging and powering of the device through transformation of the on-board voltage (12 or 24V) and on the other hand protection of the connected device against interference – for more power on the move.

RELIABILITY

- Guaranteed quality and stability
- Constant current regulation ensures stable charging of batteries
- Everything you need from one company

MOBILITY

- Through a wide input voltage range which ensures that the Car / truck adapter can be used not only with cars but also in lorries, boats - anywhere where 12 V or 24 V power supplies are available

SECURITY

- The adapter comes with short circuit protection and
- undervoltage protection: the car / truck adapters will not enable charging if the voltage on the line is not within the specified limits
- Over voltage protection
- Over temperature protection

DIVERSITY

- Accessories for differentiated demands
- Meet highest demands in terms of ergonomics and
- useability



CAR ADAPTER LIGHT

Special features	
Color	black
COMPLIANCE	
Europe	CB
USA/Canada	FCC Class B
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
DIMENSIONS / WEIGHT / ENVIRONMENTAL	
Dimensions (W x D x H)	111 x 48 x 35 mm
Weight	260 g
Operating ambient temperature	-20 - 40°C
Storage ambient temperature	-40 - 85°C
Power consumption	
Power supply input	11V to 32V ±0.5V, 15A
Power supply output	19V/20V, 60W
Package content	
ORDER CODE	
S26391-F2613-L120 / EAN: 4049699165504	

FUJITSU PLATFORM SOLUTIONS

In addition to Fujitsu Car adapter light, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

MORE INFORMATION

Learn more about Fujitsu Car adapter light, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. <http://ts.fujitsu.com/accessories>

FUJITSU GREEN POLICY INNOVATION

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



COPYRIGHTS

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html

Copyright © Fujitsu Technology Solutions

DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions
Website: <http://ts.fujitsu.com>
2010-03-03 CE-EN