



DATASHEET

FUJITSU USB DISPLAY ADAPTER ACCESSORIES

MORE CONNECTIVITY FOR DISPLAYS

This USB Display Adapter enables you to connect one more monitor, LCD or projector to a computer with a USB 2.0 port. For desktop users adding an extra monitor via USB, connection is easier than ever. No more having to open the computer chassis to install an internal video card. Once the installation is complete, the USB-attached monitor soon wakes up. No function key hassle to swap to a second monitor.

- Add a monitor, LCD or projector through a single USB 2.0 port
- Up to 6 simultaneous USB display adapters supported
- Plug & Play
- Hot-plug; add or remove monitors without rebooting.
- Windows® Vista® compatible
- Windows Vista® Aero® Interface supported
- Resumes from hibernation and suspend modes
- Connection of up to 6 displays



USB DISPLAY ADAPTER

Special features

Required interface USB 2.0

Color black

Audio: line-in / microphone

USB upstream USB Mini-B Type female connector

640 x 480 pixel: 60, 72, 75 Hz

800 x 600 pixel: 56, 60, 72, 75, 85 Hz

1024 x 768 pixel: 60, 70, 75, 85 Hz

1280 x 960 pixel: 60, 85 Hz

1280 x 1024 pixel: 60, 75 Hz

1366 x 768 pixel: 60 Hz

1440 x 1050 pixel: 60, 75, 85 Hz

1440 x 900 pixel: 60 Hz

Minimum requirement for VGA:

CPU at 1.2GHz or higher

256 MB of RAM

30MB available hard disk space

VGA monitor, min. 800 * 600 res.

Minimum requirements for DVI:

All requirements for VGA and

Dual core CPU at 2.0GHz

Adapter screen resolution to be set to 800 * 600 with 16 bit color

Required interface USB 2.0

Software support (Operating system) Microsoft® Windows® XP
Microsoft® Windows Vista®

Europe

Compliance link <https://sp.ts.fujitsu.com/sites/certificates/default.aspx>

Dimensions (W x D x H)

Dimensions (W x D x H) 54 x 17.8 x 84.3 mm

Operating ambient temperature 10 - 35°C

Storage ambient temperature -10 - 80°C

Operating relative humidity 8 - 85 % (non condensing)

USB Display Adapter

Separate USB cable, black, 1 m

Driver CD

Quick Installation Guide

S26391-F6099-L300 / EAN: 4049699047961

S26391-F6099-L400 / EAN: 4049699164705

FUJITSU PLATFORM SOLUTIONS

In addition to Fujitsu USB Display Adapter, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

MORE INFORMATION

Learn more about Fujitsu USB Display Adapter, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. <http://ts.fujitsu.com/accessories>

FUJITSU GREEN POLICY INNOVATION

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



COPYRIGHTS

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html

Copyright © Fujitsu Technology Solutions

DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions
Website: <http://ts.fujitsu.com>
2010-03-22 CE-EN