




2x	Power cord option, 1x per PSU (2x PSU installed)		
	Cable powercord rack, 1.8m, black, IEC 320 C14 -> C13 (10A plug)		T26139-Y1968-L180
	Cable powercord rack, 2.5m, black, IEC 320 C14 -> C13 (10A plug)		T26139-Y1968-L250
	Cable powercord rack, 4m, black, IEC 320 C14 -> C13 (10A plug)		T26139-Y1968-L110
	Cable powercord (USA) 15A, 1.8m, black, NEMA 5-15 connector 498G -> C13 (plug), 15A, , rack or wall		T26139-Y1741-L90
	Cable powercord (Taiwan), 1.8m, rack or wall		T26139-Y1757-L10
	Cable powercord (D, A, B, F, NL, FIN, N, S, E, P, RUS, TR), 1.8m, grey		T26139-Y1740-L10
	Cable powercord (UK, IR), 1.8m, grey		T26139-Y1744-L10
	Cable powercord (I), 1.8m, grey		T26139-Y1745-L10
	Cable powercord (DK), 1.8m, grey		T26139-Y1746-L10
	Cable powercord (ISR), 2.5m, black		T26139-Y1747-L18

Region Kits, 1x per System

Region Kit Europe, Contains warranty sheet and safety instructions in German, English, French, Spanish, Italian, Polish, Russian and Welsh language	S26361-F1452-L140-? (FBD)
---	---------------------------




optical MTP/MTP cables can be used for 40GbE cabling:	
S26361-F5294-L505	Fiber cable MTP/MTP 5m crossover, MMF
S26361-F5294-L510	Fiber cable MTP/MTP 10m crossover, MMF
D:FCKAB-MTP-C05-L	MTP cable 5m MTP-female MTP-female
D:FCKAB-MTP-C10-L	MTP cable 10m MTP-female MTP-female
D:FCKAB-MTP-C20-L	MTP cable 20m MTP-female MTP-female
D:FCKAB-MTP-C50-L	MTP cable 50m MTP-female MTP-female
D:FCKAB-MTP-C100-L	MTP cable 100m MTP-female MTP-female

CAT 6A S/STP RJ45 cables can be used for proper cabling:

S26361-F3417-L702:	CAT 6A, RJ45 connector, 2m
S26361-F3417-L703:	CAT 6A, RJ45 connector, 3m
S26361-F3417-L705:	CAT 6A, RJ45 connector, 5m
S26361-F3417-L710:	CAT 6A, RJ45 connector, 10m
S26361-F3417-L715:	CAT 6A, RJ45 connector, 15m

End of PSWITCH 2048T



2x	Power cord option, 1x per PSU (2x PSU installed)		
	Cable powercord rack, 1.8m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E180	T26139-Y1968-L180
	Cable powercord rack, 2.5m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E250	T26139-Y1968-L250
	Cable powercord rack, 4m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E100	T26139-Y1968-L10
	Cable powercord (USA) 15A, 1.8m, black, NEMA 5-15 connector 498G -> C13 (plug), 15A, , rack or wall	T26139-Y1741-E90	T26139-Y1741-L90
	Cable powercord (Taiwan), 1.8m, rack or wall	T26139-Y1757-E10	T26139-Y1757-L10
	Cable powercord (Thailand), 1.8m, rack or wall	T26139-Y1753-E10	T26139-Y1753-L10
	Cable powercord (D, A, B, F, NL, FIN, N, S, E, P, RUS, TR), 1.8m, grey		T26139-Y1740-L10
	Cable powercord (UK, IR), 1.8m, grey		T26139-Y1744-L10
	Cable powercord (I), 1.8m, grey		T26139-Y1745-L10
	Cable powercord (DK), 1.8m, grey		T26139-Y1746-L10
	Cable powercord (ISR), 2.5m, black		T26139-Y1747-L18
	Cable powercord (AUS/NZ), 1.8m, grey		T26139-Y1748-L10
	no power cord	T26139-Y3850-E10	

Region Kits, 1x per System

Region Kit APAC/EMEA/India, Contains warranty sheet and safety instructions for APAC, EMEA and India	S26361-F1452-E100	
Region Kit America, Contains warranty sheet, registration hints and safety instructions for America	S26361-F1452-E130	



CAT 6A S/STP-RJ45 cables can be used for proper cabling:

S26361-F3417-L602: CAT 6A, RJ45 connector, 2m


S26361-F3417-L603: CAT 6A, RJ45 connector, 3m

S26361-F3417-L605: CAT 6A, RJ45 connector, 5m

S26361-F3417-L610: CAT 6A, RJ45 connector, 10m

S26361-F3417-L615: CAT 6A, RJ45 connector, 15m

End of PSWITCH 2048T



2x ↓ ↑	Power cord option, 1x per PSU (2x PSU installed)		
	Cable powercord rack, 1.8m, black, IEC 320 C14 -> C13 (10A plug)		T26139-Y1968-L180
	Cable powercord rack, 2.5m, black, IEC 320 C14 -> C13 (10A plug)		T26139-Y1968-L250
	Cable powercord rack, 4m, black, IEC 320 C14 -> C13 (10A plug)		T26139-Y1968-L10
	Cable powercord (USA) 15A, 1.8m, black, NEMA 5-15 connector 498G -> C13 (plug), 15A, , rack or wall		T26139-Y1741-L90
	Cable powercord (Taiwan), 1.8m, rack or wall		T26139-Y1757-L10
	Cable powercord (D, A, B, F, NL, FIN, N, S, E, P, RUS, TR), 1.8m, grey		T26139-Y1740-L10
	Cable powercord (UK, IR), 1.8m, grey		T26139-Y1744-L10
	Cable powercord (I), 1.8m, grey		T26139-Y1745-L10
	Cable powercord (DK), 1.8m, grey		T26139-Y1746-L10
	Cable powercord (ISR), 2.5m, black		T26139-Y1747-L18

Region Kits, 1x per System

Region Kit Europe. Contains warranty sheet and safety instructions in German, English, French, Spanish, Italian, Polish, Russian and Welsh language	S26361-F1452-L140-? (TBD)
---	---------------------------



optical LC/LC cables can be used for 10GbE

D:FCKAB-OM3-C05-L	Fiber-Kabel OM3, MMF, LC/LC 5m
D:FCKAB-OM4-C05-L	FC-Cable OM4, MMF, 5m, LC/LC
D:FCKAB-OM4-C10-L	FC-Cable OM4, MMF, 10m, LC/LC
D:FCKAB-OM4-C20-L	FC-Cable OM4, MMF, 20m, LC/LC
D:FCKAB-OM4-C50-L	FC-Cable OM4, MMF, 50m, LC/LC

optical MTP/MTP cables can be used for 40GbE cabling:

S26361-F5294-L505	Fiber cable MTP/MTP 5m crossover, MMF
S26361-F5294-L510	Fiber cable MTP/MTP 10m crossover, MMF
D:FCKAB-MTP-C05-L	MTP cable 5m MTP-female MTP-female
D:FCKAB-MTP-C10-L	MTP cable 10m MTP-female MTP-female
D:FCKAB-MTP-C20-L	MTP cable 20m MTP-female MTP-female
D:FCKAB-MTP-C50-L	MTP cable 50m MTP-female MTP-female
D:FCKAB-MTP-C100-L	MTP cable 100m MTP-female MTP-female



separate orderable 40Gb Ethernet cables


S26361-F3986-L502	QSFP+ passive Twinax Cable Fujitsu 2m
S26361-F3986-L505	QSFP+ passive Twinax Cable Fujitsu 5m
S26361-F3986-L410	NOT supported



separate orderable 10Gb Ethernet cables

D:10G-SFPP-TWX-1M	SFP+ active Twinax Cable Brocade 1m
D:10G-SFPP-TWX-3M	SFP+ active Twinax Cable Brocade 3m
D:10G-SFPP-TWX-5M	SFP+ active Twinax Cable Brocade 5m

End of PSWITCH 2048P



2x	Power cord option, 1x per PSU (2x PSU installed)		
	Cable powercord rack, 1.8m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E180	T26139-Y1968-L180
	Cable powercord rack, 2.5m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E250	T26139-Y1968-L250
	Cable powercord rack, 4m, black, IEC 320 C14 -> C13 (10A plug)	T26139-Y1968-E100	T26139-Y1968-L10
	Cable powercord (USA) 15A, 1.8m, black, NEMA 5-15 connector 498G -> C13 (plug), 15A, , rack or wall	T26139-Y1741-E90	T26139-Y1741-L90
	Cable powercord (Taiwan), 1.8m, rack or wall	T26139-Y1757-E10	T26139-Y1757-L10
	Cable powercord (Thailand), 1.8m, rack or wall	T26139-Y1753-E10	T26139-Y1753-L10
	Cable powercord (D, A, B, F, NL, FIN, N, S, E, P, RUS, TR), 1.8m, grey		T26139-Y1740-L10
	Cable powercord (UK, IR), 1.8m, grey		T26139-Y1744-L10
	Cable powercord (I), 1.8m, grey		T26139-Y1745-L10
	Cable powercord (DK), 1.8m, grey		T26139-Y1746-L10
	Cable powercord (ISR), 2.5m, black		T26139-Y1747-L10
	Cable powercord (AUS/NZ), 1.8m, grey		T26139-Y1748-L10
	no power cord	T26139-Y3850-E10	

Region Kits, 1x per System		
Region Kit APAC/EMEA/India, Contains warranty sheet and safety instructions for APAC, EMEA and India	S26361-F1452-E100	
Region Kit America, Contains warranty sheet, registration hints and safety instructions for America	S26361-F1452-E130	



optical LC/LC cables can be used for 10GbE
S26361-F3986-L500 Fiber-Kabel OM3-MMF, LC/LC 5m



separate orderable 40Gb Ethernet cables
S26361-F3986-L402 QSFP+ passive Twinax Cable Fujitsu 2m
S26361-F3986-L405 QSFP+ passive Twinax Cable Fujitsu 5m
~~S26361-F3986-L410 NOT supported~~



separate orderable 10Gb Ethernet cables
S26361-F3989-L102 SFP+ active Twinax Cable Fujitsu 2m
S26361-F3989-L105 SFP+ active Twinax Cable Fujitsu 5m
S26361-F3989-L110 SFP+ active Twinax Cable Fujitsu 10m
~~S26361-F3873-L501 SFP+ active Twinax Cable Brocade 1m~~
~~S26361-F3873-L503 SFP+ active Twinax Cable Brocade 3m~~
~~S26361-F3873-L505 SFP+ active Twinax Cable Brocade 5m~~

End of PSWITCH 2048P

Change Report

[illegible]