

# Datasheet Fujitsu Software BS2000 interNet Services Version 3.4

# INTERNET STANDARD PRODUCTS



# **Topics**

# **Product characteristic**

The 'open' communications network will mainly be shaped by the Internet Protocol Suite (IPS) of the TCP/IP world. The products FTP, TELNET, DNS, NTP, OpenSSL, OpenSSH and e-Mail of the selectable unit interNet Services (short designation: INETSERV (BS2000)) provide functions that support the interoperability of communication partners in 'open' TCP/IP-based networks. The products making up the interNet Services selectable unit are ported versions of corresponding internet standard products from the 'open' world, adapted to suit the specific conditions of the BS2000 environment. This guarantees a standardized user interface, as well as administration and interoperability of the products across system boundaries.

TELNET, FTP, OpenSSH and e-Mail are available as both servers and clients.

# **Product description**

# **TELNET**

The TELNET client runs in interactive mode under TIAM or POSIX and enables connections to be set up to other computers in the network. The TELNET server runs in batch mode, receives connection requests from TELNET clients in other computers, and forwards them to TIAM in the local BS2000 computer.

#### $\mathsf{FTP}$

The FTP client runs in interactive mode under TIAM or POSIX and enables connections to be set up to other computers in the network. The FTP server runs in batch mode, receives connection requests from FTP clients in other computers, and executes their jobs in separate subtasks on the local BS2000 computer.

# Domain Name Service (DNS)

The motivation for setting up a name service in a data network springs from the desire to increase the performance, scope of services and acceptance of the network. In the internet environment, communication partners are generally addressed on the basis of symbolic names. The DNS server administers the resource records serving to describe the relationships between the names and IP addresses of computers and answers queries in this regard. Socket applications

in the BS2000 system can submit queries to DNS servers by means of the DNS Resolver.

# **Dynamic Domain Name Service (DDNS)**

The DDNS is based on a protocol that represents an extension to the DNS. This protocol enables dynamic changes to be made to the database during online server operation.

### **Network Time Protocol (NTP)**

The Network Time Protocol is based on the client/server concept and permits a reference clock time (Universal Coordinated Time, or UTC) to be distributed within a network. It also handles coordination of the clocks in networks of any size. The implementation of the NTP V3.0 protocol corresponds to RFC 1305.

#### e-Mail

The internet's e-mail system is a complex structure in which a whole series of different protocols and standards interwork. The e-mail system differs in one quite significant respect from other internet applications such as Telnet, FTP or the World Wide Web. All these services and protocols require a direct connection via TCP or UDP between sender and recipient. The situation is different with e-mail. In this case the recipient's computer system does not have to be connected to the network at the same time as that of the sender. The e-mail system is based on the concept of intermediate mail routers which first receive a message and then forward it to the recipient's mail server. A suitable mail program capable of supporting the SMTP (Simple Mail Transfer Protocol) protocol is used for this purpose. The message is read out from the mail server onto the destination computer system using a service that is enabled by the POP (Post Office Protocol) or IMAP (Internet Message Access Protocol) protocol. This closes the loop from the sender to the recipient. The interaction between the instances involved is based on the client/server concept. In this scenario, a PC computer, for example, handles the client part and the BS2000 system including the interNet Services products acts as the server part.

# Secure Socket Layer (OpenSSL)

To allow encrypted transfer of user data with the socket applications TELNET, FTP and e-Mail, and also to provide security for accesses to DNS servers, the Open Source product OpenSSL has been ported to BS2000. The OpenSSL interface serves exclusively for internal use by the internet services of the product and consequently is not provided for use by customer applications.

# Secure Shell (OpenSSH)

The Secure Shell (SSH) under POSIX makes possible secured communication over uncertain networks and can the uncertain r-commands (remote shell), telnets and ftp replace, which transfer the entire communication, especially however the passwords, uncoded (unless, they use SSL/TLS-certain connections).

# **Functional description**

#### **TELNET**

Connection requests are accepted by the TELNET server at the TELNET port and a DCAM connection is set up to TIAM in each case. As far as TIAM is concerned, an 8103 terminal is emulated. This permits a line-oriented dialog, but no format mode is possible. The TELNET client transfers the connection request to the target system (TELNET server), which receives the connection request at the opposite end and processes it further. If the client is authorized, a virtual connection is set up. To enable secure use of the TELNET services, the socket application TELNET can also optionally make use of encryption via the SSL/TLS interface. Authentication and data transfer can be performed using encryption.

Functional enhancements implemented in the present version include:

- Secure authentication via SSL/TLS
- Secure transfer using SSL/TLS
- Provision of a TELNETclient in POSIX
- and various other customer requests.

#### **FTP**

For each connection request received from the network, a LOGON is performed under the required user ID and the program <FTPDC> is started. This program handles the actual file transfer and the local file accesses. This ensures that the usual DMS access rights are observed. Thanks to its restart capability, an interrupted transfer can be resumed from the point of interrupt.

FTP can be supplemented with the FTAC (File Transfer Access Control) functionality of openFT. The FTAC function achieves the separation of FTP access authorization and login authorization in order to protect the BS2000 server and thus controls access rights on the basis of users and/or partner systems.

To enable secure data transfer using FTP, the socket application FTP can also optionally make use of encryption via the SSL/TLS interface. Authentication and data transfer can be performed using encryption. Data transfer using SSL/TLS is possible either only for the monitoring connection

or for both the monitoring and the data connection.

Functional enhancements implemented in the present version include:

- Secure authentication via SSL/TLS
- Secure transfer of monitoring and user data using SSL/TLS
- 1:1 transfer of files with a homogeneous BS2000 link
- Subprogram interface
- Writing of accounting records
- and various other customer requests

#### **DNS / DDNS**

In the internet environment, communication partners are usually addressed on the basis of symbolic names. As the name of the DNS service itself implies, the name space of the network is subdivided into areas called "domains". The domains are arranged in a tree structure. Information on addressable objects is stored in Resource Records (RRs) and managed by the name server. The syntax in which RRs are held in the name server database is specified in full. The data is coded in ASCII.

In the DNS client/server architecture, the Resolver handles the client part. The Resolver instance, represented by the corresponding product in the INETSERV selectable unit, handles queries to the name server on behalf of the application program and hence of the user. These DNS queries can optionally be signed.

The product provides access to the DNS service for the Socket applications running in the BS2000 environment (DCAM (BS2000) and POSIX(BS2000)). A DNS server can also be deployed in order to manage the RRs of the local computers. The DNS is enhanced by the DDNS functionality, which enables dynamic changes to be made to the database during online server operation. With these zone transfers, the data transfer is always encrypted for security reasons.

In the present version of INETSERV, the DNS service in BS2000 is based on the ported version of the Open Source product Bind 9.

#### NTP

BS2000 uses the NTP functionality as a client. The client requests an NTP message with the relevant time stamps from the server and then synchronizes its own clock. The system time in BS2000 is set via the function adjtime, which is offered as a privileged TPR interface. The adjtime function is used by a number of privileged users. An internal precedence relationship or on the basis of the quality parameter of the time information are specified to determine which jobs to synchronize the clock time are executed.

The system time is available to the user via the GTIME and GDATE interfaces, as well as via the runtime routines of high-level languages. The Network Time Protocol function may not be used simultaneously with the product DCE. Note on the VM2000 operational environment: Every system (monitor or guest systems) participating in an NTP network must have the NTP function installed.

#### e-Mail

The e-mail services in the interNet Services product include the components:

- SMTP Mail Server
  - The SMTP server is responsible for the transfer and delivery of e-mail messages in the network. It coordinates the transport of e-mails in the network and stores received e-mails in mail inboxes.
- POP3 Server and
- IMAP Server enable access by a remote e-mail client to the received e-mails in inboxes.
- Mail Sender consists, in BS2000, of a subsystem with SDF-command and macro interface that permit e-mails to be created and passed to an SMTP Mail Server.
- Mail Reader

In BS2000, the Mail Reader enables automated retrieval and further processing of e-mails by means of POP3 or IMAP. A procedure and a program interface are provided as options in BS2000 for this

purpose. The message headers, message bodies and attachments of an e-mail can be accessed via these interfaces.

To the secure transfer of e-mails, the e-mail services can use in the BS2000 optional also an encryption by means of SSL/TLS between the involved mail servers and between the mail servers and the mail clients. The e-mails themselves can sign and/or encrypt with S/MIME additionally. Note:

The previous mail sender from the version 3.1 (TU program) is delivered with this version no longer.

#### **OpenSSL**

The set of functions provided with the ported version of OpenSSL includes a command line tool, the SSL/TLS library and a cryptography library. OpenSSL is used by the FTP, TELNET, e-Mail and DNS services and provided with these with the level of functionality required in each case. Consequently OpenSSL is not released as a separate product for general customer use.

# **OpenSSH**

SSH encrypt the entire connection in order to stop eavesdropping, connection hijacking and similar network-attacks. Furthermore, additional possibilities are offered for authentication. With SSH, one can lead further application protocols through a certain tunnel via port-forwarding. With SSH, one marks both a kryptografisches protocol as well as a concrete implementation of this protocol.

## Enhancements in this version are:

 Rebasing of the OpenSource parts of the different applications on the newest versions:

OpenSSL: 1.1.1w
OpenSSH: 9.4p1
Bind: 9.11.37
NTP: 4.2.8
IMAP: 2007f
Postfix: 3.6.2
PHP: 8.0.28
Stunnel 5.70

FTP client and FTP server: Implementation of the CCC commands and limitation on files smaller than 32 GB slips.

## Last support:

With the version 3.4, the coincidence-number-generator POSIX-PRNGD is delivered last. In further versions the functionally equivalent coincidence-number-generator BS2000-PRNGD will also supported and delivers.

# Innovations with SP23.2

TCP-IP-SV V3.3A11

Introduction of multi-factor authentication for POSIX OpenSSH access using a time-based one-time password algorithm: Support of this algorithm according to RFC 6238 by common authenticator apps, which represents a time-based one-time password procedure.

# **Technical Details**

Requirements	
Technical Requirements Hardware	interNet Services V3.4 runs on all servers released for BS2000. This can be seen from the BS2000 assignment matrix. HNC (current versions)
Technical Requirements Software	Current BS2000 versions openNet Server (current versions) TIAM (Current versions) With the use of the services under POSIX is required additionally: POSIX-BC (current versions) The Mail Sender required additionally: ASTI (included in BS2000) The products openFT and openFT-AC (current versions) are a requirement for use of the FTAC functionality. The product JV (current versions) is an additional requirement for use of FTP command monitoring by means of job variables. The product SDF-P (current versions)is an additional requirement for use of FTP command monitoring by means of SDF-P variables.
User Requirements	Knowledge of BS2000
Installation	
Operating Mode	Dialog and Batch
Implementation Language	C, C++, Assembler
User Interface	SDF Commands, English and German
Installation	See documentation and release notice.
Documentation and Training	
Documentation	Administrator and user guide The documentation is also available  Manuals .
Training	See cource offer (German) at: <u>Courses</u>
Purchase and Delivery	
Conditions	This software product is supplied to the customer under our conditions for the use of software products against a single payment or installments.
	This software product may be obtained from your local Fujitsu

Unclassified Uncontrolled if printed www.fujitsu.com/emeia/bs2000 5 of 7 © Fujitsu 2023

License notice	This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit ( <a href="http://www.openssl.org/">http://www.openssl.org/</a> ).
	This product includes cryptographic software written by Eric Young ( <a href="mailto:eay@cryptsoft.com">eay@cryptsoft.com</a> ).
Download and Internet	Additional information to the product finds you also in the Internet under the WWW-address
	http://bs2000.ts.fujitsu.com/INetServ/index.en.php3.
	There, you also find a link to our Goody-Side, on which we offer additional software without fee to the download. That are additionally programs to APACHE and mail, just as a mighty editor, a comfortable shell and much more that conversions of Open Source software are on BS2000.

# Fujitsu Platform Solutions

In addition to Fujitsu Software BS2000, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio Built on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions, and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offerings. This allows customers to select from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products <a href="https://www.fujitsu.com/global/products/computing/">www.fujitsu.com/global/products/computing/</a>

Software www.fujitsu.com/software/

# Fujitsu Green Policy Innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <a href="https://www.fujitsu.com/global/about/environment">https://www.fujitsu.com/global/about/environment</a>



#### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### **More Information**

Learn more about Fujitsu Software BS2000, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/bs2000

# Copyright

© Copyright 2023 Fujitsu Limited

All rights reserved, including intellectual property rights.
Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <a href="https://www.fujitsu.com/global/about/resources/terms/">www.fujitsu.com/global/about/resources/terms/</a>

#### Contact

Fujitsu BS2000 Services

Email: <u>bs2000services@fujitsu.com</u>
Website: <u>www.fujitsu.com/emeia/bs2000</u>

2023-12-04 EM EN

© Fujitsu 2023. All rights reserved. Fujitsu and Fujitsu logo are trademarks of Fujitsu Limited registered in many jurisdictions worldwide. Other product, service and company names mentioned herein may be trademarks of Fujitsu or other companies. This document is current as of the initial date of publication and subject to be changed by Fujitsu without notice. This material is provided for information purposes only and Fujitsu assumes no liability related to its use.