

Datasheet


FUJITSU Software

ServerView Resource Orchestrator V3.1

Cloud Edition

Efficient management of private cloud infrastructures

For efficient control of consolidated server environments, introduction of more dynamic IT environments, or a move to a private cloud infrastructure; ServerView Resource Orchestrator Cloud Edition lets you manage your journey with its practical and business oriented approach. ServerView Resource Orchestrator Cloud Edition delivers dynamic resource management and cloud infrastructure management that accelerates new project introduction with simple and speedy IT provisioning. Physical and virtual, servers, storage and networks, are provisioned in minutes, at a fraction of the cost of traditional provisioning methods. As a result, ServerView Resource Orchestrator Cloud Edition improves time to market of IT services and best guarantees the availability and reliability of servers and entire infrastructures, to protect your ongoing IT service continuity.



Main features	Benefits
Dynamic Resource Management <ul style="list-style-type: none"> ■ Creation and management of resource pools ■ Automated provisioning across servers, storage and networks covering both physical and virtual environments ■ Logical server/platform concept ■ Multi-tier platform provisioning ■ Multi-tenancy including role-based access control ■ Firewall , Server Load Balancer (SLB) support ■ Built-in high-availability options ■ Disaster recovery 	<ul style="list-style-type: none"> ■ Improves flexibility of resources usage and increases overall resources utilization ■ Enables fast and efficient delivery of servers improving productivity of IT infrastructure administration ■ Hides the complexity of underlying real IT infrastructure allowing administrators to define resources on a logical basis ■ Enables setup of a infrastructure consisting of physical and virtual servers, storage and network resources as one single entity ■ Enables resource isolation for different user groups and separates application and IT infrastructure administration ■ Provides network security and load balancing ■ Enables easy and cost-efficient protection of IT infrastructures ■ Protects against complete site failures
Cloud Infrastructure Management <ul style="list-style-type: none"> ■ Self-service portal ■ Service catalog ■ Subscription workflow management ■ Service Monitoring ■ Service Accounting ■ Capacity Management 	<ul style="list-style-type: none"> ■ Makes it easy to select, customize and request IT resources, simplifying access to server resources for IT users ■ Provides server and platform templates available to users for instant provisioning on demand ■ Enables governance over resource provisioning processes by controlling and guiding service delivery ■ Displays a consolidated view of resource pool utilization and system performance metrics ■ Provides visibility into costs of resources and enables users to have cost transparency for self-service resource requests ■ Optimizes and forecasts utilization of resources

Topics

Dynamic Resource Management

Dynamic resource management delivers the foundation for efficient provisioning processes in data center backend operations, enabling implementation of dynamic IT environments that are agile enough to improve time-to-market for IT services.

Resource orchestration - automated provisioning from pools of resources

ServerView Resource Orchestrator Cloud Edition automatically provisions IT infrastructure from shared pools of resources covering servers, storage and networks. Automated provisioning tasks relieve infrastructure administrators from mundane manual tasks, enabling faster delivery of servers and more efficient life-cycle operations. The results are overall productivity improvements with a positive effect on data center operational costs. Unlike many private cloud management platforms ServerView Resource Orchestrator Cloud Edition is not limited to virtual environments. It simultaneously enables provisioning of physical systems providing broader choices, when users are looking for the best fit platform for their application needs. When managing individual resource pools, ServerView Resource Orchestrator Cloud Edition not only provides interfaces to Fujitsu's own management platforms, but also integrates with management products from major technology partners.

Logical server and platform concept

With its logical platform (L-Platform) concept, ServerView Resource Orchestrator Cloud Edition introduces an abstraction layer that hides the complexity of the underlying IT infrastructure. Now end-users or tenant administrators can define their required systems, including all parameters for storage, network connectivity and security settings (firewall), at a logical level. A logical platform can include just a single server but also multiple servers with mixed types of physical or virtual operating systems; for example to setup a multi-tiered server architecture.


Tenant administrators simply specify the necessary resource requirements for their tenant users by using service templates. If necessary, they can customize them to their specific requirements. There is no longer a need to deal with the real infrastructure resources underneath.

Operation security

To support operation security in enterprise data centers, ServerView Resource Orchestrator Cloud Edition enables administrative isolation of resource pools for different user groups (multi-tenancy). For setting up network security automatic provisioning of hardware and software firewalls is supported. Software firewall support via the Fujitsu NS appliance can be configured as part of an L-Platform and is available as an additional licensed option. In addition ServerView Resource Orchestrator Cloud Edition offers role-based management which allows separation of application and infrastructure administration domains. The benefit is each domain can now concentrate on its specific core competencies.

High-availability

ServerView Resource Orchestrator Cloud Edition guarantees the availability of IT infrastructures by providing a number of high-availability options at various levels. From the protection of single physical and virtual servers, to recovery support for a complete blade chassis or storage system failure, to protection against complete site failures. Disaster Recovery (DR) is available as an additional licensed option.



Cloud Infrastructure Management

Service creation

In order to simplify end-user access to IT infrastructure resources, ServerView Resource Orchestrator Cloud Edition introduces cloud infrastructure management. This enables the creation of infrastructure services from pools of shared resources. These can then be published as service templates in a service catalog.

Service requests

Users can select services, on demand, from the self-service portal, using the service catalog. According to individual needs the template based services can be customized within pre-defined limits. Following any necessary approval process, which is controlled by the integrated subscription workflow management system ServerView Resource Orchestrator Cloud Edition automatically provisions and releases the service for use. Once provisioned, users have control over their own resources. They can start, stop, backup or even issue requests to modify the existing configuration.

Service monitoring

ServerView Resource Orchestrator Cloud Edition provides a range of service monitoring options (i.e. dashboard) allowing end users and IT administrators to get a consolidated view on utilization of resource pools and performance metrics of resources currently in use.


Service accounting

The accounting capability of ServerView Resource Orchestrator Cloud Edition enables IT organizations to link pricing information to resources showing users the costs of the requested IT infrastructure. This information can provide the foundation for companies wishing to implement charge back models. Having the cost transparency for self-service resource requests allows business units to better understand the cost of deploying and maintaining their business services.

Capacity management

ServerView Resource Orchestrator Cloud Edition allows infrastructure administrators to get insight into the utilization of all resource pools including the option to set thresholds to get an early notification of pools running out of resources. For planning the future demand of resources, ServerView Resource Orchestrator Cloud Edition shows a demand forecast based on the past utilization of resource pools.

When running in a VMware environment, ServerView Resource Orchestrator Cloud Edition supports administrators to optimize resource allocation on VM hosts. ServerView Resource Orchestrator Cloud Edition shows the current load status of VM hosts to identify VM hosts running into performance problems. In order to better balance workloads or to temporarily adapt resources according to future peak demands, ServerView Resource Orchestrator Cloud Edition allows simulation and execution of VM guest reallocations.



Technical details

Admin Client

Hardware		FUJITSU PRIMERGY RX, BX and TX server or PC
Operating Systems	Microsoft	Microsoft Windows Server 2012, 2012 R2 SE/DCE Microsoft Windows Server 2008 R2 SE/EE/DCE Microsoft Windows Server 2008 SE/EE (x86, x64) Microsoft Windows Server 2003 R2 SE/EE (x86, x64), SP2 or later Microsoft Windows XP Professional, SP2 or later Microsoft Windows Vista Business, Enterprise and Ultimate Microsoft Windows 7 Professional, Ultimate, Enterprise Microsoft Windows 8, 8.1 Pro, Enterprise
Other software prerequisites		Microsoft Internet Explorer 8, 9, 10, 11, Firefox ESR17 Java 2 runtime environment 1.5 or later Adobe Flash Player 10.3.183.5 or later

Admin Server

Hardware		FUJITSU PRIMERGY RX, BX and TX server
	Notes	At least dual core CPU and 10 GB of memory; 5 GB free disk space or more
Operating Systems	Microsoft	Microsoft Windows Server 2012, 2012 R2 SE/DCE ^{1,6} Microsoft Windows Server 2008 R2 SE/EE/DCE ^{1,6} Microsoft Windows Server 2008 SE/EE (x86, x64) ^{1,6} Microsoft Windows Server 2003 R2 SE/EE (x86, x64), SP2 or later ^{6,12} Microsoft Hyper-V on Windows Server 2008 SE/EE(x64) ⁶ Microsoft Hyper-V on Windows Server 2008 R2 SE/EE/DCE ⁶ Microsoft Hyper-V 3.0 on Windows Server 2012 SE/DCE ⁶
	Red Hat	Red Hat Enterprise Linux 5.3 up to 5.10 (x86, x64) ⁶ Red Hat Enterprise Linux 6.0, 6.1, 6.2, 6.3, 6.4 (x86, x64) ⁶
	VMware	VMware vSphere 4.0 ESX ⁶ VMware vSphere 4.1 ESX, ESXi ⁶ VMware vSphere 5.0, 5.1, 5.5 ESXi ⁶
	Notes	When running the admin server on a hypervisor product, installation is only supported in a VM guest running one of the operating systems listed above. For admin server high-availability, only installation on a Hyper-V cluster or VMware ⁷ configuration is supported
Other software prerequisites		FUJITSU ServerView Operations Manager (Windows) V5.50 or later
Software options	Server Management	FUJITSU ServerView Virtual-I/O Manager (VIOM) 3.0 or later (for VIOM based I/O virtualization) FUJITSU ServerView Resource Coordinator VE I/O Virtualization Option when using HBA Address Rename Service for I/O Virtualization
	Hypervisor Management	VMware vCenter Server 4.x or 5.x (for VMware managed servers) Microsoft System Center Virtual Machine Manager 2008 R2 or 2012 (for Hyper-V managed servers) Oracle VM Manager 2.2 ⁷ , 3.2.2, 3.2.3, 3.2.4, 3.2.6, 3.2.7 (for OVM managed servers) BladeLogic Server Automation 8.1 (for Solaris container/OVM provisioning)
	Storage Management	FUJITSU ETERNUS SF Storage Cruiser 14.2, 15.0, 15.1, 15.2, 16.0, 16.1 ¹⁰ FUJITSU ETERNUS multipath driver V2.0L10 (for Windows), V2.0L02 (for RHEL) ¹⁰ NaviSphere Manager 6.29, NavisecCLI 7.30-33 (for EMC CLARiiON) ¹⁰ EMC Solution Enabler 7.1.2, 7.3, 7.4.0, 7.5.1, 7.6.1 (for EMC Symmetrix, Fibre Channel connectivity on server is mandatory) ¹⁰ EMC PowerPath 5.3 (for EMC storage multipathing) ¹⁰ NetApp Data ONTAP DSM 3.2R1 ¹⁰
	Virtual Desktop Management	VMware Horizon View 5.2, 5.3 (support for VMware vSphere > 5.0)

Managed Servers

Hardware	FUJITSU PRIMERGY BX	BX900: BX920 S1/S2/S3/S4 ¹⁷ , BX922 S2, BX924 S2/S3/S4 ¹⁷ , BX960 S1 BX600: BX620 S4/S5/S6 ⁷ BX400: BX920 S2/S3/S4 ¹⁷ , BX922 S2, BX924 S2/S3/S4 ¹⁷
	FUJITSU PRIMERGY RX	RX100 S5/S6/S7 ⁷ , RX200 S4/S5/S6/S7/S8, RX300 S4/S5/S6/S7/S8, RX500 S7, RX600 S4/S5/S6
	FUJITSU PRIMERGY TX	TX150 S6/S7 ^{7,9} , TX200 S4/S5/S6 ^{7,9} , TX300 S4/S5/S6/S7 ^{7,9}
	FUJITSU PRIMERGY CX	CX122 S1, CX210 S1, CX250 S1, CX270 S1 ^{7,9}
	FUJITSU PRIMEQUEST	1400S/S2, 1400E/E2, 1400L/L2, 1800E/E2, 1800L/L2 ⁹
	FUJITSU SPARC Enterprise	M3000, M4000, M5000, M8000, M9000, M10-1, M10-4, M10-4S ⁹ T4-1, T4-2, T4-4 ⁹
Operating Systems	Microsoft	Microsoft Windows Server 2012, 2012 R2 SE/DCE ^{1,8} Microsoft Windows Server 2008 R2 SE/EE/DCE ^{1,8} Microsoft Windows Server 2008 SE/EE (x86, x64) ^{1,8} Microsoft Windows Server 2003 R2 SE/EE (x86, x64), SP2 or later ⁸ Microsoft Hyper-V 3.0 on Windows Server 2012 SE/DCE ^{4,8} Microsoft Hyper-V on Windows Server 2008 R2 EE/DCE ^{4,8}
	Red Hat	Red Hat Enterprise Linux 5.3 up to 5.10 incl. Xen (x86, x64) ⁸ Red Hat Enterprise Linux 6.0, 6.1 incl. KVM (x86, x64) ⁷ Red Hat Enterprise Linux 6.2, 6.3, 6.4 incl. KVM (x86, x64) ⁸
	Novell SUSE	Novell SUSE Linux Enterprise Server 10 SP2, SP3, SP4 (x86, x64) ^{7,8} Novell SUSE Linux Enterprise Server 11 SP1 (x86, x64) ⁸ Novell SUSE Linux Enterprise Server 11 SP2 (x86, x64) ^{7,8}
	Oracle	Oracle Enterprise Linux 6.0 (x86, x64) ^{7,8} Oracle VM 2.2.1 ^{7,8} , 3.2.2, 3.2.3, 3.2.4, 3.2.6, 3.2.7 (x86, x64) ⁸ Solaris 10 and Solaris 10 zones for SPARC Enterprise Servers Solaris 11 and Solaris 11 Oracle VM for SPARC Enterprise Servers
	VMware	VMware vSphere 4.0 ESX ^{3,4,5,8} VMware vSphere 4.1 ESX, ESXi ^{3,4,5,8} VMware vSphere 5.0, 5.1, 5.5 ESXi ^{3,4,5,8}
	Citrix	XenServer 6.0, 6.1 ^{3,4,8}
Other software prerequisites		FUJITSU ServerView agent (Windows/Hyper-V) V4.50.05 or later FUJITSU ServerView agent (Linux) V4.90.14 or later FUJITSU ServerView agent (VMware) V4.30.20 or later Network Management: IntelPROset 15.5.56.0, 18.3.72.0 ¹⁰ Linux bonding of Red Hat Enterprise Linux 5, 6 or Novell SUSE Linux Enterprise Server 11 SP2 ¹⁰ Emulex OneCommand NIC Teaming and VLAN Manager V2.7 Windows Server 2012 NIC Teaming (LBFO)

HBA Address Rename Server

Hardware		FUJITSU PRIMERGY RX, BX and TX server or PC
Operating Systems	Microsoft	Microsoft Windows Server 2012, 2012 R2 SE/DCE ^{1,6} Microsoft Windows Server 2008 R2 SE/EE/DCE ^{1,6,10} Microsoft Windows Server 2008 SE/EE (x86, x64) ^{1,6} Microsoft Windows Server 2003 R2 SE/EE (x86, x64), SP2 or later ⁶ Microsoft Hyper-V on Windows Server 2008 SE/EE(x64) ⁶ Microsoft Hyper-V on Windows Server 2008 R2 SE/EE/DCE ⁶ Microsoft Hyper-V 3.0 on Windows Server 2012 ⁶ Microsoft Windows XP Professional, SP2 or later ⁶ Microsoft Windows Vista Business, Enterprise and Ultimate ⁶ Microsoft Windows 7 Professional, Ultimate, Enterprise ⁶ Microsoft Windows 8, 8.1 Pro, Enterprise
	Red Hat	Red Hat Enterprise Linux 5.3 up to 5.10 (x86, x64) ⁶ Red Hat Enterprise Linux 6.0, 6.1, 6.2, 6.3, 6.4 (x86, x64) ⁶
	VMware	VMware vSphere 5.0, 5.1, 5.5 ESXi ⁶

Other Hardware Requirements – FC Connectivity

FC Connectivity HBA	FUJITSU PRIMERGY BX600	FC Module 2 port (4 Gbps): BX600-FC42E
	FUJITSU PRIMERGY BX900	FC Module 2 port (8 Gbps): Emulex MC-FC82E
	FUJITSU PRIMERGY RX/TX	FC Ctrl Emulex LPe1150/LPe1150L MMF LC LP (4Gbps) FC Ctrl Emulex LPe1250 MMF LC (8Gbps) FC Ctrl 2 port Emulex LPe12002 MMF LC (8Gbps)
	FUJITSU SPARC ENTERPRISE	LPe12000, LPe12002, QLE2560, QLE2562, SE0X7F11F, SE0X7F12F
	Notes	When using HBA Address Rename Service the I/O virtualization (FC) option is required for SAN boot.
FC Connectivity Switch	FUJITSU PRIMERGY BX400	FC Pass-Thru blade 8Gbps 18/18 FC Switch 8Gbps 18/8 (Brocade BR5450)
	FUJITSU PRIMERGY BX600	FC Pass-Thru blade 4Gbps 10/10 FC Switch 4Gbps 10/6 (Brocade SW-4016 D4)
	FUJITSU PRIMERGY BX900	FC Pass-Thru blade 8Gbps 18/18 FC Switch 8Gbps 18/8 (Brocade BR5450)
	External FC switches	External FC switches supported in FUJITSU ETERNUS environments: FUJITSU ETERNUS SN200 series and Brocade series
	Notes	When using FUJITSU ServerView Virtual-IO Manager software for I/O virtualization (BX only), the BX FC switch must be set to FC Access Gateway mode. The external SAN switch must support NPIV for ServerView Virtual-IO Manager operation (e.g. Brocade Silkstorm SW4101).

Other Hardware Requirements – LAN Connectivity

LAN Connectivity NIC		Depends on each server's support
LAN Connectivity Switches	FUJITSU PRIMERGY BX400	GbE Switch/IBP 1Gbps 36/12 (SB11a) ² GbE Switch/IBP 1Gbps 36/8+2 (SB11) ² GbE Switch/IBP 10Gbps 18/8 (SBAX2) ² GbE Converged Fabric Switch 10 Gbps 18/8+2 (SBAX3) ¹⁵ GbE Switch/IBP 1Gbps 18/6 (SB6) ² GbE DCB Switch 10Gbps 18/6/6 (VDX2730)
	FUJITSU PRIMERGY BX600	GbE Switch 1Gbps 10/6 (SB9A) ⁷ GbE Switch 1Gbps 10/6+2 (SB9) ⁷ GbE Switch 1Gbps 30/12 (SB9F) ⁷ GbE Switch 1Gbps 10/6 (Cisco Catalyst Blade Switch 3040) ⁷

Other Hardware Requirements – LAN Connectivity (Cont'd)

LAN Connectivity Switches FUJITSU PRIMERGY BX900	GbE Switch/IBP 1Gbps 36/12 (SB11a) ²
	GbE Switch/IBP 1Gbps 36/8+2 (SB11) ²
	GbE Switch/IBP 10Gbps 18/8 (SBAX2) ²
	GbE Converged Fabric Switch 10 Gbps 18/8+2 (SBAX3) ¹⁵
	GbE Switch/IBP 1Gbps 18/6 (SB6) ²
	GbE DCB Switch 10Gbps 18/6/6 (VDX2730)
LAN Connectivity External Switches (controlled by ServerView Resource Orchestrator)	FUJITSU Network System SR-X 300, SR-X 500 (firmware version: V01 or later) ⁹
	FUJITSU Converged Fabric CFX2000 (TAX3) ¹⁵
	Cisco Catalyst series: 2900, 2918, 2928, 2940, 2950, 2955, 2960, 2970, 2975
	Cisco Catalyst series: 3500, 3550, 3560, 3750 (IOS 12.2(40) or later)
	Cisco Nexus series: 2000, 5000 (firmware version: NX-OS V5.2)
LAN Connectivity External Switches (not controlled by ServerView Resource Orchestrator)	Brocade VDX series: 6710, 6720, 6730 ^{16,18} (firmware version: NOS 2.0 or later)
	Any
Firewalls (controlled by ServerView Resource Orchestrator)	FUJITSU Network System IPCOM EX IN and SC series (software version E20L10 or later) ¹⁵
	FUJITSU Network System IPCOM VX series (software version E10L11 or later) ¹⁵
	FUJITSU Network System IPCOM VA SC series (software version E20L21NF0301 or later) ¹⁵
	Fujitsu NS appliance ¹³
	Cisco ASA 5500 series (software version 8.3 or later) ¹⁴
Firewalls (not controlled by ServerView Resource Orchestrator)	Any
Server Load Balancers (controlled by ServerView Resource Orchestrator)	FUJITSU Network System IPCOM EX IN and LB ¹⁶ series (software version E20L10 or later) ¹⁵
	FUJITSU Network System IPCOM VX series (software version E10L11 or later) ¹⁵
	FUJITSU Network System IPCOM VA LB series (software version E20L21NF0301 or later) ¹⁵
	F5 BIG-IP LTM series (software version BIG-IP V11.2)
Server Load Balancers (not controlled by ServerView Resource Orchestrator)	Any

Other Hardware Requirements – Storage

Supported FC systems		Fibre Channel and iSCSI ¹¹ boot is supported.
Fujitsu		ETERNUS DX60/DX60 S2, DX80/DX80 S2, DX90/DX90 S2, DX400/DX400 S2
		ETERNUS DX8000/DX8000 S2
		ETERNUS 8000 series
		ETERNUS 4000 series (model 80 and 100 not supported)
		ETERNUS 2000 series
		ETERNUS VX700 series (iSCSI only) ⁹
NetApp		NetApp FAS6000/6200/3100/3200/2000/2200 series
		NetApp V6000/6200/3100/3200 series (NetApp models with Data ONTAP 7.3.3/8.0.1 7-mode)
EMC		EMC CLARiiON CX4-120/240/480/960
		EMC CLARiiON CX3-10/20/40/80
		EMC VNX
		EMC Symmetrix DMX-3/-4
		EMC Symmetrix VMAX
FalconStor		FalconStor NSS 7.0 ⁷

Distribution, Implementation, Documentation & Support

User Interface	English, Japanese
User Skills	Basic knowledge of administration of operating systems (Windows, Linux, Solaris) and hypervisors (VMware vSphere, Microsoft Hyper-V, Oracle VM, Citrix XenServer, RedHat KVM) is presumed. Installation, configuration and implementation require detailed knowledge of FUJITSU ServerView Resource Orchestrator and the supporting software components and must be done by Fujitsu professional service or certified consultants.
Installation	By consultants specially instructed by Fujitsu only.
Documentation	User manuals are contained in machine readable form in the media pack or can be downloaded from http://manuals.ts.fujitsu.com
Media	The media packs contain all software components and manuals in PDF format.
Conditions	This software product is supplied under conditions described in our current license agreement.
Warranty	Class: C
Maintenance & Support	Closure of a software maintenance contract is mandatory. Standard Support Packs are available for 1 year or 3 years maintenance. For details about the service offering see: http://ts.fujitsu.com/services/maintenance_support/software_services.html
Ordering and delivery	FUJITSU ServerView Resource Orchestrator Right-to-Use licenses and the DVD media pack are available from our local sales representative/regional office. The right-to-use and media kits of the operating environment of the manager nodes and the managed nodes as well as supporting software like FUJITSU ServerView Virtual-IO Manager, FUJITSU ETERNUS Storage Cruiser or hypervisor management software have to be obtained separately since they are not included in FUJITSU ServerView Resource Orchestrator package.

For additional technical details, dependencies and restrictions, please consult the ServerView Resource Orchestrator support matrix available from your sales representative.

- 1) Server Core installation option not supported
- 2) Operating the LAN switch in IBP mode is project-specific
- 3) Cloning of hypervisor hosts is not supported
- 4) For backup & restore, hypervisor snapshot technology is used
- 5) Sharing of spare servers with Windows Server or Hyper-V Server is not supported
- 6) English, Japanese and German are supported
- 7) Project-specific
- 8) English, German, Japanese and Chinese are supported
- 9) Only supported in virtualized environments
- 10) For higher versions, support status depends on compatibility to versions mentioned in this data sheet

- 11) iSCSI boot support only on FUJITSU PRIMERGY BX900/BX400 servers with FUJITSU ServerView Virtual-IO Manager software
- 12) Not supported with redundant admin server
- 13) For deploying an NS Appliance, FUJITSU PRIMERGY BX924 S2/S3 blade server with SBAX2 or FUJITSU PRIMERGY RX300 S7 rack server and FUJITSU ETERNUS DX90/440S2 storage are recommended. For other hardware combinations, please contact Fujitsu.
- 14) Cisco ASA5505 is not supported
- 15) Japan market only
- 16) ServerView Resource Orchestrator doesn't provide sample script for automatic configuration.
- 17) Universal multichannel is not supported
- 18) Monitoring only

More information

Fujitsu platform solutions

In addition to FUJITSU ServerView Resource Orchestrator Cloud Edition, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing products

www.fujitsu.com/global/services/computing/

- PRIMERGY: Industrial standard server
- PRIMEQUEST: Mission-critical IA server
- SPARC Enterprise: UNIX server
- ETERNUS: Storage systems

Software

www.fujitsu.com/software/

More information

To learn more about FUJITSU ServerView Resource Orchestrator Cloud Edition, please contact your Fujitsu sales representative, Fujitsu business partner, or visit our website. www.fujitsu.com/software

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at: www.fujitsu.com/global/about/environment/



Copyright

© Copyright 2014 Fujitsu Limited
Fujitsu, the Fujitsu logo and Fujitsu brand names are trademarks or registered trademarks of Fujitsu Limited in Japan and other countries. Other company product and service names may be trademarks or registered trademarks of their respective owners.

Disclaimer

Technical data subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Limited
Website: www.fujitsu.com
2014-07-30 WW EN