

# Data Sheet FUJITSU PLAN EP MCX4-EN 40GbE QSFP

Dual-port 40Gbit/s PCle 3.0 Network Interface Card

Ethernet cards enable data exchange between all the devices connected in a local network (LAN). A networked IT infrastructure that functions well is of great significance when managing and controlling critical business processes in a company. The wide range of complex information transported across the network relies on fast and reliable data processing by the network cards.

#### PLAN EP MCX4-EN 40GbE QSFP

The FUJITSU PLAN EP MCX4-EN 40GbE is based on Mellanox's ConnectX®-4 EN (Dual port) Network Interface Card. ConnectX-4 EN Network Controller with 40Gb/s Ethernet connectivity addresses virtualized infrastructure challenges, delivering best-in-class and highest performance to various demanding markets and applications. Providing true hardware-based I/O isolation with unmatched scalability and efficiency, achieving the most costeffective and flexible solution for Web 2.0, Cloud, data analytics, database, and storage platforms. 40Gb Ethernet (40GbE) enables network bandwidth to be cost-effectively scaled in support of nextgeneration server and storage solutions residing in Cloud and Web-scale data center environments.

FUJITSU PLAN EP MCX4-EN 40GbE Network Interface Cards deliver advanced Ethernet solutions designed for FUJITSU Server PRIMERGY and PRIMEQUEST systems with use cases such as SAP HANA® or Microsoft Storage Spaces Direct (S2D).



## Features & Benefits

Main Features	Benefits
<ul> <li>Scalability across environments</li> <li>Designed for FUJITSU Server PRIMEQUEST and PRIMERGY systems in SAP and all general purpose environments</li> </ul>	Delivering highest performance and true hardware-based I/O isolation with unmatched scalability and efficiency for general purpose, SAP HANA <sup>®</sup> , and Microsoft S2D (Storage Spaces Direct) environments
<ul> <li>Flexible OS support</li> <li>Microsoft Windows Server 2016 and 2012 R2, Red Hat Enterprise Linux 7, SuSE Linux Enterprise Server 12, VMware ESXi 6.5 Support Efficient networking</li> </ul>	Designed and released for qualifying PRIMERGY and PRIMEQUEST servers with multiple OS support
RDMA over Converged Ethernet (RoCE)	Delivering low-latency and high-performance Remote Direct Memory Access (RDMA) over Ethernet networks; RoCE provides efficient low-latency RDMA services over Layer 2 and Layer 3 networks

Connectivity Connectivity options

Simplified Management

- ServerView Management and MCTP/PLDMNC-SI Support
- Interoperable with 1/10/25/40/50/100Gb Ethernet switches; powered connectors for optical and active cable support
- ServerView Update Tools and CLP for iRMC Network Inventory are supported for UEFI and in legacy boot. CLP for eIOV is supported for UEFI only. MCTP Base/Control, MCTP over PCIe/VDM, PLDM Monitoring/Control, PLDM FRU, NC-SI over MCTP

# **Technical details**

#### Technical details

Controller Silicon	Mellanox ConnectX4-El	N MCX416A-BCAT Dual-Port 40 Gigab	it Ethernet Controller	
Released drivers list link	http://support.ts.fujitsu.com/Download/Index.asp			
Number of Connectors	2			
Number of external ports	2			
Auto Negotiation support	Yes			
Bus type	PCle 3.0			
Bus transfer rate	8GT/s			
Bus width	x16			
Network protocol and standards compatibility	IEEE 802.1p Class of Ser IEEE 802.1q VLAN IEEE 802.1Qau Congesti IEEE 802.1Qaz Enhanced IEEE 802.1Qbb Priority F IEEE 802.3ad LACP IEEE 802.3ae 10Gbit Eth IEEE 802.ap based auto- IEEE 802.3az Energy Effi IEEE 802.3ba 40Gbit Eth IEEE 802.3x Flow Contro	ion Notification d Transmission Selection (ETS) Flow Control (PFC) -negotiation and KR startup icient Ethernet (EEE) nernet ol		
	IEEE 1588 Precision Time Protocol IPv4, IPv6 and mixed IPv4/IPv6 network protocols			
HW Virtualization	SR-IOV: Up to 256 Virtua	•		
nterrupt Levels	MSI-X			
VoL	No			
	<ul> <li>Hardware offload enca Network Virtualization ( NVGRE</li> <li>VXLAN"CPU Offloads</li> <li>RDMA over Converged</li> <li>TCP/UDP/IP stateless of LSO, LRO, checksum of RSS (can be done on e Intelligent interrupt com</li> </ul>	nd protection irtual machine Cs pport overlay networks and tunneling proto apsulation and decapsulation of over Offload d Ethernet (RoCE) offload ffload encapsulated packet), TSS, HDS, VLAN		
Offloading	CPU Offloads - RDMA over Convergeo - TCP/UDP/IP stateless o - LSO, LRO, checksum of - RSS (can be done on e - Intelligent interrupt co	offload ffload encapsulated packet), TSS, HDS, VLAN	insertion / stripping, Receive flow steering	
Data transfer rate up to	40 Gbit/s			
Data transfer rate up to Supported Interface Modules / Cables				
	40 Gbit/s Application Ethernet 40 Gbit/s	Type / mode QSFP+ / MMF (SWL)	Connector / cable Length up to 150m	

Environment		
Power consumption	Dual-Port QSFP with passive DAC 40G cables: 10.66W	
	Dual-Port QSFP with active AOC 40G cables: 12.16W	
	Dual-Port QSFP with QSFP optical transceivers: 12.16 W	
Temperature (operating)	0 - 55 ℃	
Storage temperature	-40 - 65 °C	
Compliance		
Compliance notes	According to the corresponding system	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates	

### More information

#### Fujitsu products, solutions & services

In addition to Fujitsu with PLAN EP MCX4-EN 40GbE QSFP, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/ computing/

Software www.fujitsu.com/software/

#### More information

Learn more about Fujitsu PLAN EP MCX4-EN 40GbE QSFP, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. http://www.fujitsu.com/primergy

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www. fujitsu.com/global/about/environment



#### Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/ global/about/resources/terms/ Copyright 2024 Fujitsu LIMITED

#### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact Fujitsu Limited Website: www.fujitsu.com/primergy 2024-04-06 WW-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/ Copyright 2024 Fujitsu LIMITED