# Definitions



# **Fujitsu Product Related Support**

The objective of this document is to give an overview about the Fujitsu Product Related Support portfolio and to define the terms relevant for the related support offerings.

# Contents

| 1. | Onboarding   | 2  |
|----|--|----|
|    | OnboardingSupport portal and incidentsKPIs of incidents          | 2  |
|    | KPIs of incidents  | 2  |
| 2. | Fujitsu Warranty   | 2  |
|    | Fujitsu Warranty<br>Fujitsu Manufacturer Warranty                | 2  |
|    | Customer Self Service (CSS) for Customer Replaceable Units (CRU) | 3  |
| 3. | ·  |    |
|    | Fujitsu Product Related Support - Offerings                      |    |
|    | Fujitsu Installation Pack  | 5  |
|    | Fujitsu Installation PackFujitsu Implemention Pack               | 5  |
|    | Fujitsu Support Pack Hardware / TopUp                            |    |
|    | Fujitsu Service Contract Hardware                                |    |
|    | Fujitsu Support Pack Software                                    |    |
|    | Fujitsu Service Contract Software                                |    |
|    | Fujitsu Solution Contract  |    |
|    | Fujitsu Solution Pack  |    |
| 5. | Glossary of Terms  |    |
| 6. | Remarks  | 12 |
|    | Further Information.   |    |

#### 1. Onboarding

# Support portal and incidents

For our customers' support, a central portal has been set up where all the necessary information can be obtained to report incidents. This portal can be found on <u>Support portal</u>.

Using the MySupport tab the account can be created and incidents may be raised.

## **Priority incidents**

The priority incident should be raised over the phone within the SLA agreements.

# Non Priority incidents

The incident may be raised via Contacts and via MySupport in addition to raising it directly over the phone to the Service Desk hotline. Please note that in both places it is clearly indicated that for incidents created via this way, an attempt will be made to reply within one working day. And where it is clearly indicated that for urgent matters the Service Desk Hotline must be contacted.

#### **KPIs** of incidents

When the call entitlement and pre-clarification phase has been successfully concluded, the fault is accepted, a reference number is assigned, and the fault is then processed according to the defined service level. The onsite response time is the period between call acceptance and the time when an engineer arrives at the customer.

Within Onsite Response time, Fujitsu differentiates between the following offerings depending on country:

- Engineer arrives in general within the contracted Service option with a diagnosed spare part versus
- Engineer contacts the customer in general within the contracted Service option and agrees the onsite intervention incl. the spare part.

The measurement of the onsite response time is interrupted outside agreed service times. The onsite response time does not apply in those situations where a fault can be eliminated remotely.

Troubleshooting continues until the IT infrastructure is operational again or until suitable progress has been made in solving the problem. Work can be stopped for a time if additional parts or resources are required but is restarted as soon as they are available.

# 2. Fujitsu Warranty

# Fujitsu Manufacturer Warranty

The Fujitsu Manufacturer Warranty (subsequently: Warranty) is a voluntary obligation of Fujitsu as the manufacturer to the final customer of new devices. The Warranty does not apply to devices brought into circulation as used devices by Fujitsu. In addition, the end customer may have a right to implied Legal Remedies in case of deviations from product specification or agreed functionality not restricted by these Warranty terms ("Sachmängelhaftung").

The Warranty begins on the day of initial purchase of the product by an end user from Fujitsu or from an authorized dealer (date of purchase of the original purchase receipt/proof of purchase or date of the original delivery note).

The respective Warranty duration and type depend on the particular product.

There are Off-site as well as On-site Warranty services.

The Service Level for Warranty, if not otherwise specified, is on reasonable endeavor's basis without committed SLA.

Separately and independently, customers may buy any of Fujitsu's Product Related Support offerings (Support Pack, ServiceContract, SolutionContract and SolutionPack).

# Customer Self Service (CSS) for Customer Replaceable Units (CRU)


The Customer Self Service process applies for Warranty services on a mandatory basis, e.g. customers are responsible for the exchange and – if required – the return of the faulty part.

CRU designates spare parts that can be exchanged by the customer. CRU spares are components such as keyboard, mouse, hot-plug HDD, and other components defined by Fujitsu. In case of an in-warranty hardware fault requiring repair and the CRU process being applicable, the customer will receive the needed spare part, exchange it and – if required – return the faulty part.

The CRU concept is implemented by a clearly defined and unified service delivery process based on predefined CRU parts, 'CRU-able' systems and the provision of user friendly documentation for CRU exchange.

# 3. Fujitsu Product Related Support - Portfolio Overview

The Fujitsu Product Related Support portfolio is positioned in the Fujitsu ICT portfolio as follows:



In addition to its cutting-edge products, Fujitsu offers standardized Product Related Support that is sold at the point of sale or any time during product life cycle.

The Product Related Support ensures system availability and business continuity of the customer's IT environment. With these offerings we help our customers to save time and money and to reduce the burden on internal IT staff. This supports our customers to shift budget spend on operational IT services to strategic initiatives that deliver short-term real business value to their company.

The Product Related Support covers a broad range of products including Fujitsu and Partner branded hardware and software products as well as Fujitsu IT Infrastructures (e.g. Fujitsu Integrated System PRIMEFLEX) based on Fujitsu hardware. Fujitsu delivers this Support through certified support engineers in all major countries where global customers need them.

The comprehensive Product Related Support portfolio contains offerings to:

- o Provide fast and responsive support for individual hardware and software products. Fujitsu has introduced three standard support level (up to 24 x 7, 4 hours onsite response) that are available worldwide.
- Complement Fujitsu IT Infrastructures (e.g. Fujitsu Integrated System PRIMEFLEX) through well-adjusted "one stop shop" IT Infrastructure support offerings for the embedded multiple Fujitsu and Partner branded hardware and software components into account.

In addition to standard reactive support levels such as onsite response and recovery times, Product Related Support encompass optional HDD retention. Reactive support can be augmented by proactive support elements (such as System Health Check and Technical Account Management) to even avoid failures and downtimes.

The portfolio comprises the following portfolio elements:

### Fujitsu Product Support Hardware

Product Support Hardware provides support for Fujitsu and Partner branded hardware products by fault diagnosis (including remote access) and repair or replacement of faulty parts. Additional options are Proactive Support and HDD Retention.

Fujitsu will respond to an incident and solve the fault in accordance with the contracted Support Level Agreement which can be an Off-site Support or an On-site Support with defined Remote Response Time, On-site Response Time and/ or Recovery Time in accordance with the selected option. The proactive support, if included in the selected options, are delivered on a regular basis in accordance with the contracted Support Level Agreement.

# Fujitsu Product Support Software

This service provides support for Fujitsu and Partner branded software products. It ensures seamless operation of installed software products by fault detection and elimination and comprises the diagnosis of software incidents and the provision of workarounds and/or, if available from the licensor, corrections. Depending on the licensor, corrections can designate individual patches, patch packs or sometimes minor releases called updates or upgrades. The provision of software versions with new functions (often designated major releases) depends on the manufacturer's license policy.

If not otherwise agreed, the installation of correction versions and new versions is in the responsibility of the customer and not part of the standard Service Offerings

#### Remark:

Non-ambiguous definitions for update, upgrade, minor / major release, etc. are only possible in relation to a particular software product.

#### Fujitsu Infrastructure Support

For Fujitsu IT Infrastructures based on Fujitsu hardware Fujitsu provides a "one stop shop" support offering for the embedded multiple Fujitsu and Partner branded hardware and software components. It comprises reactive and selectable proactive support. Its main features are as follows:

- A single point of contact (SPoC) grants our customers easy access to support. There is one contact for all Fujitsu components as well as third party components included in the infrastructure of the related solution.
- The integrated support concept (designated: Technical Solution Support) ensures that the faulty component in the infrastructure is identified by Fujitsu and the fault elimination initiated. Typically, one Technical Solution Support is required for ever installed node.
- o Infrastructure Support includes reactive support services that solve problems after a failure of the infrastructure as well as
- o Proactive service elements, where critical system conditions are detected at an early stage and preventive measures are taken to avoid functional restrictions.

It is important to understand that the application software layer is NOT part of the Infrastructure Support.

## 4. Fujitsu Product Related Support - Offerings

# Fujitsu Installation Pack

Installation Packs support the customer in the installation of Fujitsu and Partner branded storage and server products including the related operating software, as applicable. They grant fast start and reliable operation of the purchased system in the customer environment and are available as a packaged standard service offering for single products at a fixed price.

This Service offering now belongs to the Fujitsu Data Driven Services offings.

# Fujitsu Implemention Pack

Implementation Packs support the customer in the implementation of a Fujitsu Integrated System PRIMEFLEX up to the availability of the the first Virtual Machine, where applicable. They grant fast start and reliable operation of the purchased Integrated System in the customer environment and are available as a packaged standard service offering for an Integrated System typically consisiting of 3 Nodes at a fixed price. This Service offering now belongs to the Fujitsu Data Driven Services offings.

#### Fujitsu Support Pack Hardware / TopUp

The Support Pack Hardware supports Fujitsu's hardware products. It designates a service contract comprising Product Support for a certain hardware product, for a fixed Service Period and upfront payment of a fixed fee. Support Packs can be purchased within 90 days of the product purchase with a contract term of 1 up to 5 years. Before expiration, the Service Period can be extended (until the maximal contract term of 5 years) by purchasing a corresponding follow-on Support Pack (also called Prolongation Support Pack).

The Support Period begins on the exact date when the corresponding hardware product was initially purchased. The support is provided based on a once-only payment to be paid in advance when the Support Pack is purchased and requires the support activation.

Support Pack Hardware and TopUp are offered as almost identical product's offerings that only differ with regards to sales and order processes:

- a TopUp has to be purchased together with the product, end-user registration is done automatically;
- a Support Pack can be purchased separately and has to be registered through the end-user.

#### Fujitsu Service Contract Hardware

The Service Contract Hardware supports Fujitsu's hardware products. It designates a service contract comprising Product Support for a certain hardware product. ServiceContract Hardware can, unless otherwise explicitly regulated, be purchased at any time during the product's lifecycle until 1 year before the end-of-support for that product. Fujitsu reserves the right to check the service ability for that product before the start of the contract and, if necessary, will establish such service ability in agreement with the customer and at the latter's costs.

The Support Period begins on the contractually agreed date and is typically extended when the minimum Service Period expires unless the contract is terminated.

Remuneration for the support is on a regular flat-rate basis.

The minimum contract period is 1 year.

Alternatively to use one of predefined Support Level options, ServiceContract Hardware offers the possibility to define the Support Levels, Support Time, Remote Response Time, On-site Response Time and/or Recovery Time in accordance with a customer's needs.

## Fujitsu Support Pack Software

The Support Pack Software designates a service contract comprising Product Support for a certain software product, for a fixed Support Period and upfront payment of a fixed fee. Please be aware, that for Software, no Warranty exists; typically, Support needs to be separately purchased from the first day.

Support Packs can be purchased within 90 days of the product purchase with a fixed contract term. Before expiry, the Service Period can be extended (max contract term depends on the individual Software product) by purchasing a corresponding follow-on Support Pack.

The Support Period begins on the exact date when the corresponding software product was initially purchased. The support is provided based on a once-only payment to be paid in advance when the Support Pack is purchased and requires the support activation.

#### Fujitsu Service Contract Software

The Service Contract Software designates a support contract comprising Product Support for a certain software product.

Service Contract Software can, unless otherwise explicitly regulated, be purchased at any time during the product's lifecycle until 1 year before the end-of-support for that product. Fujitsu reserves the right to check the serviceability for that product before the start of the contract and, if necessary, will establish such serviceability in agreement with the customer and at the latter's costs.

The Support Period begins on the contractually agreed date and is typically extended when the minimum Service Period expires unless the contract is terminated.

Remuneration for the support is on a regular flat-rate basis. The minimum contract period is 1 year.

# Fujitsu Solution Contract

Solution Contract comprises the complete service scope outlined for Infrastructure Support; e.g. it includes reactive services for the hardware and software components of the infrastructure solution and optional proactive support services such as:

- Single Point of Contact
- Technical Solution Support
- Support for the embedded hardware and software
- Software Update/Upgrade for the embedded software

Please see the Solution Contract data sheet and respective Technical Appendix for a specification on the specific hardware and software products covered.

With regards to contractual terms, Solution Contracts is very much the same as a Service Contracts:

- Unless otherwise explicitly regulated, it can be sold at any time during the product lifecycle until 1 year before the end-of-service for that product and the remuneration for the service is on a regular flat-rate basis.
- o The minimum service period is 1 year; it begins on the contractually agreed date and it is typically extended thereafter unless the contract is terminated.

## Fujitsu Solution Pack

Solution Pack provides Infrastructure Support based on a modular concept using standard service offerings. Other than the Solution Contract, Solution Pack covers not the entire service scope of Infrastructure Support and instead, it encompasses only the specific service elements:

- Single Point of Contact Support (one per each PRIMEFLEX System)
- Technical Solution Support (typically to be purchased per each node).

Therefore, Solution Packs need to be supplemented by Support Packs for the respective hardware and software components of the infrastructure.

Solution Pack resembles a Support Pack regarding its contractual terms:

- o It has to be acquired within 90 days after purchase of the respective infrastructure solution.
- o The service is valid for a fixed minimum Support Period of 3 years. The Support Period starts on the day of initial purchase of the related infrastructure by a final customer.
- For renewals, Solution Packs are available to continue the service period of an existing Solution Pack by a
  fixed period of time, usually 1 year. Worth noting is, that in case of a prolongation of a SolutionPack, also
  each and every Support Pack Hardware and Support Pack Software needs to be prolonged equally.

### 5. Glossary of Terms

The following terms and assigned definitions are the basis for the Fujitsu Product Related Support portfolio and are to be used in all related descriptions, legal terms & conditions and other documents. The abbreviations (ABBR) in the last column, if shown, refer the support descriptions used in sales documents and tools in English (EN) and German (DE).

| Term                              | Definition  | ABBR |
|-----------------------------------|---|------|
| 3rd Party<br>Product              | Non-Fujitsu Product that might be resold by Fujitsu but for which Fujitsu support may be available  |      |
| 3rd Party<br>Product Support      | Fujitsu Product Support Services for 3rd Party Products   |      |
| 9 x 5                             | Denotes the standard local business hours;<br>e.g. Monday – Friday excluding public holidays, 8.00 to 17.00   |      |
| 24 x 7                            | Non-stop operation 24 hours a day, 7 days a week, 365 days a year (Monday – Sunday, 24 hours, including public holidays)  |      |
| Autocall                          | With Autocall, the service-authorized product reports unusual component conditions or component failures automatically to the Fujitsu Service Center. These messages are analyzed centrally. If defined thresholds are exceeded, an incident is automatically logged at the responsible Service Desk and is then processed according to the contracted Service Level. To do so, customers need to state dedicated contact details. Upon initial delivery, the Autocall functionality as a default setting is deactivated. |      |
| Best Effort                       | With Best Effort there is no concrete On-site Response time committed. If necessary, the engineer arrives at the customer location in general with the diagnosed spare part, however not at any committed time.   |      |
| Bring-In<br>Warranty /<br>Support | The reported fault will be analyzed by Fujitsu. If a remote fix is not possible and the hardware has to be repaired, the customer is requested to bring the defective device to a qualified service point (service partner or repair center). When the repair work is completed, the customer is notified that the device is ready for collection.  | BI   |
|                                   | The Bring-In service includes the provision of all required spare parts as well as the related labor costs but not the transport to and from the service point.   |      |

| Call Acceptance  | Denotes the moment where a Support Request is received at the Fujitsu help desk. Upon successful validation of the entitlement and the initial technical assessment the request is accepted, a tracking number is issued and the Support Request is progressed in accordance with the agreed Service Level as Incident or Service Request. The measurement of the contracted Remote Response / On-site Response / Recovery Times starts with the confirmation of an Incident by the Service Desk or Help Desk.  For the validation of entitlement, the customer has to provide the serial or license or contract number of the affected product/solution. The customer is entitled to request support if either the product is in warranty or if a valid service contract for it exists.   |                        |
|--|--|------------------------|
| Collect & Return<br>Warranty /<br>Service  | The reported fault will be analyzed by Fujitsu. If a remote fix is not possible and the hardware has to be repaired, the defective device will be collected from the customer and brought to a qualified service point (service partner or repair center) for repairs. The respective collect and return procedure may differ from country to country.  The collection is realized either:  • by a pick-up by one of Fujitsu's repair logistics providers. The defective device will be collected from the customer's address (at the main entrance, if not otherwise agreed). The customer has to adequately pack the defective device before collection unless he has been advised by the help desk that the logistics provider will use its own transit boxes to transport the device.  • or by a waybill / prepaid delivery label for the customer to coordinate the collection at his discretion. The customer has to adequately pack the defective device before collection.  After completion of the repair the device will be returned to the customer's premises. | C&R                    |
| Customer<br>Replaceable<br>Unit (CRU)  | Designates spare parts that can be exchanged by the customer; see also section "Warranty".   |                        |
| Door-to-Door or<br>Desk-to-Desk<br>(Onsite<br>Exchange)<br>Warranty /<br>Service | The reported fault will be analyzed by Fujitsu. If a remote fix is not possible and the hardware is defective, it will be replaced by an equivalent. The defective device will be picked up from the customer's address (at the main entrance) and at the same time the equivalent is delivered to the same address.  The Desk-to-Desk service implies that the replacement unit is delivered directly to the user's desk.   | Door2D<br>or<br>Desk2D |
| EMEA   | Geographical validity of Fujitsu Product Support Services:<br>Europe, Middle East and Africa   |                        |
| Forward<br>Stocking<br>Location (FSL)  | Stock holding for urgent part requirements thus enabling short On-site Response Times and Recovery Times.  |                        |
| Fujitsu Product  | Product branded with Fujitsu label. For Fujitsu products, either Fujitsu Warranty terms apply, or the respective Fujitsu Product Related Support terms. Fujitsu branded products are e.g. CELSIUS, LIFEBOOK, ETERNUS, PRIMERGY, Fujitsu SOFTWARE, ESPRIMO  |                        |
| Fujitsu IT<br>Infrastructure   | Fujitsu IT Infrastructures based on Fujitsu hardware are e.g.<br>Fujitsu Integrated System PRIMEFLEX   |                        |

| HDD Retention                     | Within Product Support Hardware, HDD Retention designates the option under the terms of which customers are allowed to retain faulty data media (hard disk drives, SSDs, UFM-Devices, SATA-DOMs, DCPMMs or Boot Disk Utilities) that are authorized for service. In this situation Fujitsu, in contrast to other specifications, does not insist on its ownership right for faulty hard disk drives when supplying a replacement drive. The customer retains sole responsibility for protecting confidential data saved on faulty data media. This option is available for removable data media, only. It incurs an extra fee and can be combined with Off-site or On-site Support. | HDD              |
|-----------------------------------|---|------------------|
| IMAC/D                            | Install, Move, Add, Change and Disposal<br>(This Service offering now belongs to Data Driven Services offings)  |                  |
| Incident                          | An Incident is any unplanned interruption or a reduction in the quality of an IT service. It is logged in the CMS (see also Support Request).  An Incident can either be solved by the Fujitsu help desk (First Time Fix), being forwarded for further diagnosis (as a "Problem") or result in a work order to a service engineer / service partner.  |                  |
| MOVE                              | For Support Packs Hardware, MOVE addresses the possibility for the customer to purchase Hardware and Support Services in one country, and transfer, register and receive Service in a different country. Details and limitations (included countries, Service Levels and products) are available in the supplement to the data sheet Support Pack Hardware "Local support terms" available at ts.fujitsu.com/support-terms.   |                  |
| Multivendor<br>Product Support    | Fujitsu Product Support Services for heterogeneous or pure non-Fujitsu environments.  |                  |
| MySupport<br>Portal               | On the Fujitsu-Internet, within the Support-portal, the MySupport portal is accessable. Here every customer can create an individual account and integrate dedicated Serialnumber. Per each Serialnumber, customers can view product specific information like patches or drivers, can maintain own location data, can request Support prolongation offerings and soon also register Support Packs or Solution Packs.   |                  |
| Next Business<br>Day              | In combination with Support Time 9x5, NBD refers to the next local business day; e.g. in Europe Monday – Friday excluding public holidays. In combination with Service Time 24x7, NBD refers to the next day.   | NBD              |
| OEM Product                       | Product usually branded with Fujitsu label & sold by Fujitsu ("Fujitsu Product") but manufactured and/or licensed by Fujitsu Alliances (e.g. Brocade). In some cases, OEM products are sold under the original manufacturer's brand (e.g. Juniper).   |                  |
| Off-site<br>Warranty /<br>Support | The repair under Warranty or Support contract is conducted at a Fujitsu authorized service center: the following Off-site services are available: Bring-In, Send-In & Return, Collect & Return, Door-to-Door or Desk-to-Desk.   |                  |
| On-site<br>Warranty /<br>Support  | The reported fault will be analyzed by Fujitsu by means of telephone support or remote access. At Fujitsu's discretion a service engineer will be scheduled for further on-site diagnosis and solution as necessary to resolve the diagnosed problem. In case of a hardware failure, the operational readiness will be restored by replacing or repairing the defective part at the installation location. On-site Service is available with defined Service Levels for Onsite Response time or Recovery time. Their availability may depend on local conditions and/or the geographical location of the customer site.   | EN: OS<br>DE: VO |

| On-site<br>Response Time                  | The onsite response time is the period between call acceptance and the time when an engineer arrives at the customer.  Within Onsite Response time, Fujitsu differentiates between the following offerings:  • Engineer arrives in general within the contracted Support option with a diagnosed spare part versus  • Engineer contacts the customer in general within the contracted Support option and agrees the onsite intervention incl. the spare part. The measurement of the onsite response time is interrupted outside agreed support times. The onsite response time does not apply in those situations where a fault can be eliminated remotely.  Specific requirements with regards to coverage area and available response times are subject to local conditions.       | EN: Rt<br>DE: Az   |
|---|---|--------------------|
| Proactive<br>Support                      | Proactive Support designates the option with which increased customer requirements for system availability are addressed. It encompasses the following key features:  Regular evaluation of Patch Status concerning firmware & BIOS versions (System Health Check)  Presentation and discussion of corrective actions based on the System Health Report (by Technical Account Management)  Presentation and discussion of corrective actions as consequence of the System Health Check (Technical Account Management)  This option is available for Solution Contract, Solution Pack and for Support Pack Hardware for selected products and in combination with selected service levels, and it incurs an extra fee. The availability depends on product and the individual country. |                    |
| Recovery Time<br>(HW)                     | The Recovery Time (HW) is the period between call acceptance and the time when a service engineer normally recovers the operational readiness of the hardware that has been identified as faulty. The measurement of the Recovery Time is interrupted outside the agreed service time.  The Recovery Time does not include the time required to recover data and/or install the software, operating system or corresponding updates and/or the recovery of customer-specific configuration. Specific requirements with regards to coverage area and available Recovery Times are subject to local conditions.   | EN: Rec<br>DE: Whz |
| Recommended<br>Support                    | In line with local market conditions and local delivery capabilities, one particular service level is selected per product category and country as 'Recommended Service' and will be automatically attached to a product configuration by WebArch. This selection can be changed by the user doing the configuration.   |                    |
| Reseller Product                          | Non-Fujitsu Product that is sold by Fujitsu, but under the original vendor's brand. Vendor warranty applies. For Reseller Products, Fujitsu may offer own and/or the original vendor's support services.  |                    |
| Send-In &<br>Return Warranty<br>/ Support | The reported fault will be analyzed by Fujitsu. If a remote fix is not possible and the hardware has to be repaired, the customer is requested to send the defective device to a qualified service point (service partner or repair center). The transport and insurance costs have to be borne by the customer. The customer is responsible for adequate packaging to protect the defective device.  The Send-In & Return service includes the provision of all required spare parts, the related labor costs and the return postage for the device to the sender or to any other address within the country in which the service point is located.  | SI/RtB             |

| Service Level<br>Agreement<br>(SLA)         | Contract or interface between customer and contractor specifying recurring services with the objective to provide contractual transparency and accuracy. Various Support Level options are usually available for the essential parameters of a particular service; the selected Support Level is integral part of the SLA agreement.  Typical Support Levels are Service Time, Remote / On-site Response Time, Recovery Time.      |  |
|---|--|--|
| Support Period                              | Service Period designates the period of time for which a service has been contracted.  For Service Contract the service period starts at the contracted start date and – if not otherwise agreed in the contract – is automatically prolonged until explicitly cancelled.  For Warranty and Support Pack the following applies:  Support start = day of product purchase to end customer  Support end = start date + duration time |  |
| Support Time                                | The Support Time is the contractually agreed time within which the service is provided remotely and/or on-site, as applicable.  If no specific Support Time is agreed, the local Standard Support Time applies (see also 9x5).   |  |
| Severity Level                              | See Remarks below  |  |
| Single Point of<br>Contact (SPoC)           | One service interface for customers for logging of Support & Service Requests or Incidents. If necessary, Incidents and Service Requests will be forwarded to the respective internal and/or external delivery unit for further diagnosis, resolution or fulfillment.  |  |
| Single Point of<br>Responsibility<br>(SPoR) | One service interface for customers taking contractual responsibility for fault elimination from Support Request logging until the problem is resolved. One service contract owner.  |  |
| Support<br>Request                          | A Support Request is any inbound or outbound customer contact, irrespective of the way it was made. This includes for example customer contacts made by phone, email, web request, fax or letter. It describes the end to end lifecycle of a service. A Support Request can evolve into an incident or a service request. It is counted only once when first logged in the Call Management System (CMS).                           |  |

## 6. Remarks

The Remote / On-site Response and Recovery Times may – in addition to the selected Support Level - depend on the severity of the fault (Severity Level).

The Severity Level of the fault is defined by the customer during Support Request Acceptance together with the agent at the Fujitsu help desk.

| Severity Level 1 | Critical impairment to operation  The fault in the service-authorized product or infrastructure or one of its critical components causes serious impairment to the customer's business processes; typical level 1 impairments are:  • business processes not running  • productive system standstill  • threat to data integrity  • backup and recovery functions for productive operation not working |
|------------------|--|
| Severity Level 2 | Significant impairment to operation  The fault results in considerable impairment to the operability of business processes, essential applications or to the system. A bypass is not possible with reasonable expenditure.   |
| Severity Level 3 | Moderate impairment to operation  The equipment is functioning with moderate impairment to the performance of business processes, essential applications or to the system. Business processes and applications are running, no data loss. The fault may be temporarily circumvented using an available workaround; the delay in fault elimination is acceptable.                                       |

# 7. Further Information

Further information on the Product Support Services is available on the Internet <u>Product-Support-Services</u> <u>Internet</u>/, e.g.:

- General terms & conditions for HW/SW Support Packs (GTC) as well as Supplemental terms for Support Packs (Supplement)
- Data sheets
- Technical Appendices & Attachment to the data sheets