

DATASHEETFUJITSU Software openFT (Windows) V12.0

MANAGED FILE TRANSFER

openFT (Windows)

About 80 percent of the total amount of data exchanged within a company or between a company and its customers and business partners is transferred in the form of files. In E-Business the requirements placed on an administered company-wide file transfer solution (Managed File Transfer) become even more important: openness, automation, security, reliability, availability, monitoring, visibility and performance. The Fujitsu openFT product family fulfils these requirements to the utmost and also provides a series of additional useful functions such as file administration for the local and remote system. Furthermore, openFT is very easy to install and administrate and can contribute significantly to the reduction of the TCO (Total Cost of Ownership).

openFT is a high-performance solution for complex, heterogeneous IT environments that can be used to fully automate the file transfer process. openFT is especially suited for companies and government agencies that require a totally reliable and secure provision of large quantities of business-critical data. The use scenarios of openFT extend beyond numerous areas of application in mobility and business critical computing. For many application integration projects, openFT represents a widely used and proven solution with solid benefits. openFT has proven its flexibility and reliability day in day out, even under extreme loads, in over 100,000 server installations.

openFT is part of the comprehensive openSEAS product offering.

openFT (Windows) V12.0C

The current release V12.0C is enhanced with some features.

- The security on the basis of the exchange of key files and mechanisms using them is increased. Partner authentication and data encryption is more effective.
- An openFT instance can demand a minimum length of RSA key to negotiate AES key for encryption of openFT session.
- Restart function can be deactivated globally or partner specifically.
- Request tracking over system boundaries are supported by a common identification criterion.
- The logging function is added up by the possibility to change current log file at run time, offline retrieval and automatic deletion of old logging records.
- The basic transport system is connected directly without any need of external access functions.
- Purchased licenses are managed via a license key based system.
- The display of monitoring values representing the openFT operation is integrated into Windows System Monitor.
- FarSync X25 cards of producer FarSite are supported directly.



FEATURES AND BENEFITS

WAIN FEATURES BENEFITS VISIBILITY Fast and easy installation Easy to use GUI Intuitive handling for users and administrators

- Central administration of local and remote partner
 File Management of local and remote partner
 Virtualization and failover-cluster
 Single point of administration
 Management of local and remote file systems
 Advanced availability
- MONITORING

■ Monitoring of operating states of the openFT instance

- Logging of all requests
- Request storing and management

SECURITY

- Management of access rights via FTAC
- Encryption of meta data and file contents
- Authentication by cryptographic means
- File consistency

REPORTING AND AUDITING

- Logging all requests
- Central trap server to gather all traps of an openFT network

ADAPTABILITY

- Support of different system platforms
- Support of different protocols and networks
- Code conversion of text files of different codes
- Scaling from a desktop to high-end server

PROVISIONING

- Dynamic partner list
- Dynamic changes of configuration

AUTOMATION AND WORKFLOW

- Start of follow up processing in local or remote system
- Prepare and further treatment of transfer data via pre- and post-processing
- Command execution in remote operating system

CHANGES SINCE PREVIOUS VERSION V11.0

- Enhanced security of mechanisms on the basis of the exchange of key files
- Common identification criterion of requests
- Logging functions are more efficient
- Direct access to the transport system without external access functions
- License key management for purchased product parts
- Display of openFT monitoring values via Windows System Monitor
- FarSync X25 cards of producer FarSite are supported directly

- Actual retrieving and presentation of metered values to benchmark the openFT processing

 Audit compliant legging

 Audit compliant legging
- Audit compliant logging
- Granted data delivery
- Independence of OS access rights
- Security by transferring encrypted data
- Mutual check via cryptographic means to make sure the connection is with the right partner instance
- Protection from man-in-the-middle-attack
- Audit compliant logging
- Analysis of all traps of an openFT network on a single server
- Connectivity to different operating systems
- Connectivity to different networks and communication via openFT, FTAM- or FTP-protocol possible
- Processing files with different source and encoding
- Optimized use of existing resources
- Immediate access to partners
- Configuration is immediately effective
- Possible reaction to finished transfer
- Dynamic preparation of data at request time and direct further processing
- Remote control of the partner system is possible
- Partner authentication and data encryption are more efficient
- Comfortable request tracking over system boundaries
- Current logging improved by different means
- Independence from availability of an external product
- Danger of using unlicensed functions has vanished
- Presentation in known windows environment
- Direct use of these communication means

OFFERING

Visibility

Fast and easy installation

openFT is very easy to install and can be used immediately after installation without any further modifications.

Easy to use GUI

The graphical interface permits "drag & drop" file transfers. The local and the remote systems are displayed in the same format as in the Windows Explorer and can be operated identically. File management tasks, such as renaming files, are just as easy as the efficient comparison of different file trees or the transfer of files between two remote systems. When local files are copied, the progress of the copy procedure is displayed and it is also possible to cancel the copy. Finally, local and remote files can be loaded into the openFT editor. The graphical interface permits the administration of an FT system, e.g. user-friendly management of the FTAC authorization profiles and records. The administration functions can also be used for partner systems so that remote systems can be administered centrally via the local graphical interface (single point of administration). Detailed information on the graphical interface can be found in the corresponding online help system.

Central administration of local and remote partner

A complete openFT network with the permitted administrators can be managed on a dedicated administration. An administrator has only to authenticate on the admin server and can manage all openFT instances that are assigned to him.

Central administration is independent of normal transfer processing.

File management of local and remote partner

The file systems on the local and remote partners can be modified via File Management. You can remove and rename files. File directories can be created, removed and renamed.

Virtualization and failover-cluster

In openFT you can run several openFT instances on a computer at the same time, and each openFT instance has its own resources. There are interfaces available for creating, managing and deleting instances. This enables you to switch the functionality of openFT to a different computer where openFT is already installed when the original computer fails or when there is a resource bottleneck.

Monitoring

Monitoring operating states of the openFT instance

Thanks to collecting and displaying metered values an administrator is able to evaluate critically the operating state of an openFT instance and to control it. Monitoring can be configured for special needs.

Logging all requests

The log file contains comprehensive information about all the access checks and file transfers performed so that an audit can be performed as required.

Request storage and administration

Requests can still be accepted even if a partner system is not available when the request is issued. They are also accepted if openFT is not available locally. These requests are stored and automatically processed once the network or partner system becomes available. Thanks to request storage, the transfer can be initiated at any time desired, for example to reduce transmission costs (time control). It is also possible to specify a time at which the request is to be deleted or

the transfer is to be aborted (cancel timer). The sequence in which requests are processed can be modified via the priority control.

Security

In addition to the protection functions of the local system, openFT also offers enhanced access protection for file transfer and hence increased security.

■ File Transfer Access Control (FTAC)

With this integrated add-on module, openFT also offers comprehensive and individually adjustable protection functions. Thus, openFT works with an access authorization that is independent of the operating system. The rights associated with this access authorization can be set on a highly differentiated basis. Furthermore, the user can precisely restrict and set the authorizations of the remote partner systems with respect to file transfers. The access rights can be restricted to specified tasks for each individual partner so that particular functions are no longer allowed (e.g. follow-up processing or file management functions).

Encryption

The description data for file transfer and file management requests are encrypted with the RSA/AES algorithm. This prevents unauthorized reading of sensitive data at network level, such as user IDs or passwords. The contents of the files transferred can be encrypted using the same procedure. This functionality is subject to export restrictions. Due to protocol restrictions, it is possible to exchange data encrypted by openFT only with openFT partners or FTP partners if openFT initiates the connection and FTP server supports encryption.

File consistency

It is possible to specify that the data transferred as a result of a file transfer request can be checked for integrity to avoid a man-in-the-middle-attack.

Authentication

openFT instances can mutually check with cryptographic means that they are connected with the right partner instance. It is thus possible to securely identify both the partner of a request and the own system in the partner system. Prerequisite for the authentication is the exchange of public keys. If the public key of a partner system is available in an openFT instance, then all connections with this partner system are processed with authentication. Due to protocol restrictions FTAM and FTP partners cannot use authentication.

Logging

The log file contains comprehensive information on all access checks and file transfers performed so that an audit can be performed as required.

Reporting and Auditing

Logging all requests

The log file contains comprehensive information about all the access checks and file transfers performed so that an audit can be performed as required.

Central trap server to capture all traps of an openFT-network
 You may configure a dedicated trap server to send to all generated
 traps. An administrator has to authenticate on this server and can
 manage all traps related to him.

Adaptability

openFT supports a wide range of system platforms and protocols while maintaining a uniform interface.

System platforms

Computers from different manufacturers running different operating systems can be connected with openFT. For example, openFT is available for all Windows platforms (Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2), numerous Unix platforms (including Solaris and Linux), as well as all BS2000 and z/OS systems.

Protocols and networks

openFT can also be used in a network in which computers with different protocols communicate with each other. openFT supports networks and network protocols such as TCP/IP, ISO, NEA, X.21/X.25, and ISDN resp.

Data formats

openFT can process and transfer files with different characteristics (depending on the file type and operating system in which the files were created).

Encoding of character data

openFT is able to handle and transfer text files with various encodings. openFT supports the conversion of encoding of standard Unicode variants (UTF-8, UTF-16, UTF-E), standard 8-bit character sets (ISO8859nn, EDF04nn) and any user defined 8-bit character set.

FTAM support

The full integration of the FTAM protocol (file transfer based on the ISO 8571 protocol) by means of the openFT-FTAM add-on product means that the communications options are extended to some important systems. The add-on module openFT-FTAM is integrated into the openFT product. It must be ordered separately as a license.

FTP support

The communications options are extended to practically all major systems by the integration of the ftp protocol by means of the openFT-FTP add-on product. The add-on module openFT-FTP is integrated into the openFT product. It must be licensed separately too. For secure connection to FTP partners SSL/TLS interface is supported on outgoing connections.

Provisioning

Dynamic partner list

Thanks to partner list remote instances are accessible immediately. The partners can be configured in different properties in order satisfy security features or set the tracing.

Dynamic changes of configuration

Any change of configuration will be active immediate. Current working processes are not affected

Automation and Workflow

openFT offers the following functions and features for integration into business processes or applications:

Follow-up processing

It is possible to attach a request for follow-up processing in the local or remote system to a file transfer request. If the transferred file is a job, for instance, it can be started by means of the follow-up processing. Further examples of use comprise printing out transferred files and automatic updating of databases.

Pre- and post-processing

Operating system commands that process or dynamically create the data before transmission can be started when sending or receiving a file. This means, for instance, that it is easy to access databases and transfer results, perform conversions and integrate customer-specific security tools. With post-processing, the data transferred can be processed further in a similar manner on the receiving end in programs or scripts. In order to perform pre- and post-processing in the partner system, the partner must use an openFT version that supports pre- and post-processing.

Remote command execution

With openFT it is possible to run system commands or programs of remote systems from a local system and thus integrate them

into scripts. The output of the commands and programs (in BS2000 SYSLST/SYSOUT, in z/OS SYSPRINT /SYSTSPRT and on Unix systems stdout/stderr) are mapped onto stdout and stderr and can be easily processed further and output using Windows tools. The same functionality is available initiated in BS2000, Unix systems and z/OS for remote command execution on Windows systems. The resulting remote functionality is also completely secured by FTAC protection functions and the encryption feature.

Integration in job scheduling

Using pre-, post- and follow-up processing, procedures can be easily realized because all functions can be called from the command line.

openFT script functionality

With openFT script functionality (ftscript) it is possible to define and control groups of asynchronous openFT tasks which depend on each other.

Changes since the preceding version V11.0

· Security functions

Mechanisms basing on the exchange of key files are shaped more effective. An expiration date of a key can be configured as well as its minimum length. The rule only to use encrypted transfers can be set up.

Tracking

Visibility and manageability of transfer requests are supported. Requests will get a common identification criterion with the global request id.

• Logging function

Current logging file can be exchanged at runtime. The retrieval of logging records can take place on offline log files. It's possible to delete older records automatically.

• Transport system

The underlying transport system is accessed directly. So independence exists from additional access interfaces. Easier diagnosis is possible by integration of transport system trace data into the known openFT trace files.

• License key management

The purchased product parts are managed via license keys. Customization of the software is done along these specifications so that no one can use not licensed functions by accident.

• Windows System Monitor

The monitoring values of openFT operation are presented in known Windows System Monitor.

FarSite X25 cards

These communication means can be used directly.

TECHNICAL DETAILS

TECNICAL REQUIREMENTS HARDWARE	
CPU	CPU as of i586
	Standard-PC
Board	LAN (TCP/IP), RAS (TCP/IP) over X.25 or ISDN, if the appropriate driver is available X.25 with ISO: Eicon/Dialogic Dialogic C91 V2, C91 PCIE, S91 V2, S94 V2, S94 PCIE FarSync X.25 T- and M-series, FarSync Flex X.25 USB X.25 with ISO over ISDN: Eicon/Dialogic C91 V2, C91 PCIE, S91 V2 X.25 with ISO over ISDN (ISO 8208 X.25 DTE-DTE; CAPI): AVM Fritz!Card, B1, C2, C4 Eicon/Dialogic Diva Pro 2.0
Memory requirements HDD	75 MB incl. std instance 30 MB each further instance
TECHNICAL REQUIREMENTS SOFTWARE	
Operating system	Windows Vista, Windows 7, Windows 8, Windows 8.1 Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2
Driver	Eicon/Dialogic-Boards: Connections for Windows with ISO transport support. FarSync-Boards: driver with support of OSI transport.
USER INTERFACE	
Language	English and German, others on request.
INSTALLATION	
Installation	By the customer on the basis of the release notice.
DOCUMENTATION	
Manuals	Manuals (English and German) for users and system administrators as PDF files; available on the product CD and on the Internet via http://www.fujitsu.com/ts/openft
DEMANDS ON THE USER	
Demands on the user	Windows knowledge and if necessary knowledge of the partner system
TRAINING	
Training	Courses are held in the Technical Training Academy of Fujitsu under the currently valid conditions.
CONDITIONS	
Condition	This software product is supplied to the customer under the conditions for the use of software products against instalments or a single payment. Only in connection with openFT the use of PCMX does not need to be licensed separately.
ORDERING AND DELIVERY	
Delivery	This software product may be obtained from your local Fujitsu regional office

FUJITSU PLATFORM SOLUTIONS

In addition to FUJITSU Software openFT, FUJITSU provides a range of platform solutions. They combine reliable FUJITSU products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the FUJITSU Dynamic Infrastructures approach, FUJITSU offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from FUJITSU technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

http://ts.fujitsu.com/it_trends/dynamic_infrastr_uctures/products/index.html

Software

http://solutions.ts.fujitsu.com/softwarecatalog/start.php

MORE INFORMATION

Learn more about FUJITSU Software openFT, please contact your FUJITSU sales representative or FUJITSU Business partner, or visit our website. http://ts.fujitsu.com/openFT

FUJITSU GREEN POLICY INNOVATION

FUJITSU Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at

 $\frac{\text{http://www.fujitsu.com/global/about/environme}}{\text{nt}}$



COPYRIGHT

© Copyright 2015 FUJITSU LIMITED FUJITSU, the FUJITSU logo and FUJITSU brand names are trademarks or registered trademarks of FUJITSU Limited in Japan and other Countries. Other company, product and service names may be trademarks or registered trademarks of their respective owners.

DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions

Address: Mies-van-der-Rohe-Str. 8, Munich, 80807, Germany

Email: : openft@ts.fujitsu.com

Website: http://www.fujitsu.com/ts/openFT

2015-08-21 EM EN