

Data Sheet

Fujitsu Accessory CELSIUS® H780 Port Replicator Kit

Connect to your peripherals for a clean and tidy working environment

Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.

Ease of use

- Connect your mobile devices instantly to all your peripherals
- One-hand release mechanism (mechanical port replicator)
- Leave your peripherals plugged in to the Port Replicator
- Wide range of interfaces
- Hot docking
- Family port replicator supporting products across several generations (depending on model)
- Optional power-on button for selected notebooks providing extra convenience in the office



CELSIUS® H780 Port Replicator Kit

Interfaces

DC-in	1
USB 3.1 Gen1 (USB 3.0) total	Type-C (Gen1) 2 x, Type-A (Gen1) 4 x
DisplayPort	1x DP 1.2 (next to Analog RGB connector; 1x DP 1.4 (next to USB 3.1 connector); DP++support; x1 through DP on dGPU, x1 via DP-Splitter; DP#1 on Portrep and HDMI on main unit are alternative.
DVI	1x (up to 1,920 x 1,200 via Portrep internal DP-Splitter)
VGA	1x (up to 1,920 x 1,200 via Portrep internal DP-Splitter)
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Ethernet (RJ-45)	1
Kensington Lock support	1

Compliance

Europe	CE EN 55024 EN 55032 EN 60601-1-2 EN 301489
Compliance link	https://sp.ts.fujitsu.com/sites/certificates

Dimensions / Weight / Environmental

Dimensions (W x D x H)	404 x 94 x 28 mm
Weight	540 g
Operating ambient temperature	5 - 35 °C
Storage ambient temperature	-10 - 60 °C
Operating relative humidity	20 - 80 %

Order code

Warranty

Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu.com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

More information

Fujitsu products, solutions & services

In addition to Fujitsu Accessory CELSIUS® H780 Port Replicator Kit, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio
Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products
www.fujitsu.com/global/products/computing/

Software
www.fujitsu.com/software/

More information

Learn more about Fujitsu Accessory CELSIUS® H780 Port Replicator Kit, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/emeia/products/computing/peripheral/accessories

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.
Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.
Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <https://www.fujitsu.com/global/about/resources/terms/>
Copyright 2024 Fujitsu Technology Solutions GmbH

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.
Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.
The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.