

# Data Sheet Fujitsu CELVIN® Drive D202 Accessories Storage

#### Ultra Fast USB 3.0 Storage

The CELVIN® Drive D202 is a highly reliable Plug & Play external storage device with USB 3.0 speed. It is easy to set up and can increase the home network storage capacity by attaching it to the USB port of dedicated routers or NAS devices.

#### Design & Speed

- Extremely stable and elegant housing
- Perfect heat dissipation enables secure data storage
- Lightning USB 3.0 speed up to 4.8 Gbps- 10 times faster than USB 2.0

#### Energy saving with power management

- Automatic Power Down: automatic shutdown after 10 minutes of inactivity or when the host runs in sleep mode
- GREEN SLEEP: 0.3 W power consumption in standby-mode

#### Usability

- Convenient Plug&Play
- Ideal for professional and home usage



## CELVIN® Drive D202

Special features Hard disk capacity Hard disk notes Required interface LED Color	1 TB - 2 TB - 3 TB HDD  Capacity indicated by software or operating system can be less due to operating system restrictions and formatting.  USB3.0, USB2.0
Hard disk notes Required interface LED	Capacity indicated by software or operating system can be less due to operating system restrictions and formatting.
Required interface LED	
LED	USB3.U. USBZ.U
COIOI	LED on rear side flickering as indication for data access
	Black
Network protocols	
File System Management	NTFS pre-formated
Interfaces	
Interfaces	USB3.0 type B jack
Electrical values	
Power management	Supports power saving mode on host computer (depending on operating system)
	HDD shut down after 10 min of inactivity
Power supply input	EU power adapter; Input: 100V – 240V AC
Power supply output	12VDC / 1.5A
Rated frequency range	50 Hz - 60 Hz
Compatibility (references)	
Europe	CE
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates
Dimensions / Weight	
Dimensions (W x D x H)	117 x 210 x 37 mm
Weight	~1kg incl. USB power cable and AC adapter
Operating ambient temperature	0 - 35 ℃
Required interface	USB3.0, USB2.0
Software support (Operating system)	Windows® XP
	Windows® 7
	Windows Vista®
	Windows 8
Package content	
	CELVIN® Drive D202
	USB cable with USB3 type B plug / type A plug
	Power supply
	Quick Installation Guide
	Manual on HDD
Order information	
	S26341-F103-L201 EAN: 4051554551261 1 TB Hard Disk Drive
	S26341-F103-L202 EAN: 4051554551278 2 TB Hard Disk Drive
	S26341-F103-L203 EAN: 4051554551285 3 TB Hard Disk Drive

Page 2 / 3 www.fujitsu.com/fts/accessories

### More information

#### Fujitsu OPTIMIZATION Services

In addition to Fujitsu CELVIN® Drive D202, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### **Computing Products**

www.fujitsu.com/global/services/computing/

#### Software

www.fujitsu.com/software/

#### More information

Learn more about Fujitsu CELVIN® Drive D202, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/accessories

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



#### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

#### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### Contact

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2013-06-04 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions