

# Data Sheet FUJITSU Dot Matrix Printer DL 3850+

### Reliable multi-part printing

The reliable FUJITSU Dot Matrix Printer DL3850+ comes in a compact design. It features automatic paper parking and loading, auto tear off, the capability for bar code printing, and is well suited for professional and multi-part printing. With a high printing speed and the ability to print documents in sizes up to A3, the DL3850+ is suitable for every office environment.

#### Design

■ Compact design and small footprint

#### Interfaces

■ Compact design and small footprint

#### Print data

- High print speed 537 cps
- Printing width: 136 columns (10 cpi), 163 columns (12 cpi)

#### Networking

■ Network connectivity through optional LAN card





# Technical details

recillical details			
Technical specifications			
Print head	24 wire dot matrix printer		
Printing width	136 columns (10 cpi), 163 columns (12 cpi)		
Printing speed correspondence / report quality	270 cps (12 cpi), 225 cps (10 cpi)		
Printing speed draft quality	432 cps (12 cpi) / 360 cps (10 cpi)		
Printing speed High-speed draft quality	537 cps (12 cpi), 448 cps (10 cpi)		
Printing speed letter quality	135 cps (12 cpi), 113 cps (10 cpi)		
Resolution	Max. 360 x 360 dpi		
Number of copies	Max. 5 (including original)		
Paper sizes	Continuous form: Width: 102 to 420 mm (4.0 to 16.5"), Length: over 102 mm (over 4.0") Cut Sheet: Width: 102 to 420 mm (4.0 to 16.5"), Length: 76 to 420 mm (3.0 to 16.5")		
Paper feeding continuous form	Paper feeding continuous form Push tractor, rear in and rear out		
Paper feeding cut sheet	Manual friction feed, top in and top out		
Line feed speed	60 ms per 1/6" line		
Form feed speed	5.6 ips		
Printer interfaces	Parallel + USB: IEEE 1284 and USB 1.1 Type B (depending on model)		
Emulation	Emulations Fujitsu DPL24C PLUS, IBM Proprinter XL24E, Epson ESC/P2		
Character sets	Code pages 437, 850, 851, 852, 855, 860, 862, 863, 865, 866, ISO 8859-1, ECMA 94, USA, UK, German, French, Italian, Spanish, Swedish, Finnish, Norwegian, Danish 1 and 2, Hungarian 1 and 2, Slovenian 1 and 2, Mazowia 1 and 2, Polish 1 and 2, Latin 2 1 and 2, Latin P, PG-DHN, Elot 927, Lithuanian 1 and 2, Mik, Macedonian, PG-MAC, ABY, ABG, DEC GR, GREEK 11, HBR-OLD, HBR-DEC, ISO Turkish, ISO Latin, Kamenicky 1 and 2, Turkish 1 and 2, Elot 928, Cyrillic, RUSCII, Latin-9		
Barcodes / 2D codes	Code 3 of 9  UPC Type A  UPC Type A with check character  Codabar (NW7)  EAN13  EAN8  Interleaved 2 of 5  Matrix 2 of 5  Industrial 2 of 5  Code 128		
Resident / Bitmap fonts	Courier 10, Prestige Elite 12, Boldface PS, Compressed, Draft 12, High-speed Draft 112, OCR-B, OCR-A 10, Correspondence 10, PICA10		
Scalable fonts	Courier, Nimbus Sans®, Timeless (Normal, Bold, Italic)		
Input buffer	Maximum 128 KB		
Word processing functions	Outline, Image overlay, Overscore, Underscore, Superscript, Subscript, Bold overprint, Shadow, Justify, Italic, Multiple height (up to 11 fold), Multiple width (up to 11 fold)		
Electrical values			
Power consumption	up to 70 W (average)		
Power consumption maximum	up to 180 W		
Power consumption minimum	up to 28 W		
Rated voltage range	Single Phase: 220-240 V AC ±10%		
Rated frequency range	50 Hz - 60 Hz		
Compliance			
Compliance notes	Safety and EMI standard for Europe		
Compliance link	https://sp.ts.fujitsu.com/sites/certificates		
MTBF (demonstrated)	20,000 h		
Printer head life	up to 400 million strokes (each wire)		

Ink ribbon life	5.0 million characters			
Dimensions / Weight / Environmental				
Dimensions (W x D x H)	570 x 330 x 130			
Weight	9.7 kg			
Acoustic noise level	49 dBA			
Printer options	LAN Board DL3x50+ / DL7400, Order code: S26391-F1051-L900 (for USB/parallel variants only) Printer Ribbon Premium DL3x50+ / DL7400, Order code: CA02374-C104 (Please check packing item) Printer Ribbon Replacement DL3x50+ / DL7400, Order code: CA02374-C204 (Please check packing item) Printer Ribbon Standard DL3x50+ / DL7400, Order code: KA02004-C801 (Please check packing item) Print Head DL3x50+, Order code: S26391-F1051-L907			
Order information				
	S26391-F1051-L100	EAN: 4053026570084	CENTRONICS+USB,EUROPE	
	S26391-F1051-L101	EAN: 4053026570091	CENTRONICS+USB,ARABIC	
	S26391-F1051-L102	EAN: 4053026570602	CENTRONICS+RS232C,EUROPE	
Warranty				
Warranty period	3 years (depending on country) for printer			
Warranty type	Bring-In Service (depending on country) Standard warranty 6 months for print-head			
Warranty Terms & Conditions	http://www.fujitsu.com/warranty			
Spare Parts availability	5 years			
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/			
	•	· · · · · · · · · · · · · · · · · · ·		

## More information

#### Fujitsu products, solutions & services

In addition to FUJITSU Dot Matrix Printer DL 3850+, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### **Computing Products**

www.fujitsu.com/global/products/computing/

#### Software

www.fujitsu.com/software/

#### More information

Learn more about FUJITSU Dot Matrix Printer DL 3850+, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/computing/ peripheral/accessories

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



### Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html

Copyright 2020 Fujitsu Technology Solutions GmbH

#### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2020-05-25 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2020 Fujitsu Technology Solutions GmbH