Fujitsu recommends Windows 11 Pro.

Data Sheet Fujitsu Notebook LIFEBOOK U9312

Your Light and Elegant Travel Companion

Are you looking for a slim, breathtaking notebook for frequent business trips? Available in red and black, the ultra-mobile Fujitsu LIFEBOOK U9312 weighs only 885 g. Enterprise-grade security features such as PalmSecure[™] keeps your business data protected from unauthorized access. Powerful performance and the embedded 5G or LTE offer you the best-in-class user experience.

Ultra-Slim and lightweight design

Extraordinarily lightweight design for business professionals who are always on the move

- A remarkably slim 15.5 mm notebook weighing only 885 g with a minimalist style in a magnesium housing
- Appealing ultra-slim notebook with backlit keyboard available in red or black color
- The best viewing experience is guaranteed by an anti-glare 13.3-inch FHD (1920 x 1080) display, with optional touch or non-touch screen
- Durability is Military Standard MIL-STD-810H tested

Maximum security

Protect your notebook and business data from unauthorized access at all times

- Integrated PalmSecure[™] or fingerprint sensor
- HD Infrared Camera allows face recognition with Windows Hello
- Ultra-tiny Privacy Camera Shutter
- Kensington Lock support
- SmartCard reader and TPM 2.0

Convenient mobility on the go

Highest productivity on business trips

- All-day battery runtime offers you the exceptional mobility that you need when on the move
- Anytime USB Charge functionality to charge telephones and other media devices, even when the system is turned off
- Powerful performance, thanks to integrated SSDs, helping to process data faster

Excellent connectivity

Be flexible and stay productive in a hyper-connected world

- Compact and versatile Intel[®] Thunderbolt[™] 4 connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with a full-sized HDMI, full-sized Flap-style LAN connector
- WLAN, Bluetooth and 5G or LTE (CAT 12)









FUJITSL

Components

Base unit	LIFEBOOK U9312 black	LIFEBOOK U9312 red	
Operating systems			
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 11 Home Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.		
Microsoft OS support information	After product end of life, Fujitsu con extension of hardware services thro	ns or organizational account (e.g. ADD) for Pro editions tinues to test and support new Windows releases for max. 5 years, depending on	
Operating system notes	The use of Windows Operating System applicable under the relevant Micro	em is subject to acceptance of the End User License Agreement of Microsoft as soft program.	
Processor	Intel® Core™ i7-1265U processor (10	Cores, up to 4.8 GHz) **	
	Intel [®] Core [™] i5-1245U processor (10	Cores, up to 4.4 GHz) **	
	Intel® Core™ i5-1235U processor (10	Cores, up to 4.4 GHz) *, ***	
	* Processor only for retail, SMB, ed		
	** Processor supports Intel® vPro® E ***Processor supports Intel® vPro® E		
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module	s, SED	
	PCIe-SSD, 256 GB M.2 NVMe module	s, SED	
	PCIe-SSD, 2 TB M.2 NVMe module, S	ED	
	PCIe-SSD, 1 TB M.2 NVMe module, S	ED	
Hard disk notes	Accessible capacity may vary, also d	epending on used software.	
		es, when referring to hard disk drive capacity.	
	Up to 20 GB of HDD space is reserve		
	Durability in accordance with the m	anufacturer's indications on read and write cycles.	
Interface add on cards/components (optional)			
4G/5G (optional)	Fibocom FM350-GL (5G Sub-6/Cat.1 4G - 211 MB/s)	9) (Downlink speed 5G - 3740 MB/s, 4G - 1600 MB/s, Uplink speed 5G - 835 MB/s,	
	Quectel EM120R-GL (4G Cat.12) (Do	wnlink speed 600 MB/s, Uplink speed 150 MB/s)	
Display	33.8 cm (13.3-inch), LED backlight, F	HD, 1,920 x 1,080 pixel, Anti-glare IPS display, 400 cd/m², 1500:1	
		1,080 pixel, Anti-glare multi-touch, 350 cd/m², 1500:1	
Multimedia			
Camera	Optional: Built-in HD webcam		

Base unit

LIFEBOOK U9312 black	LIFEBOOK U9312 red	
Integrated in CPU		
8 GB		
32 GB		
0 LPDDR4		
	Integrated in CPU 8 GB 32 GB	Integrated in CPU 8 GB 32 GB

General system information				
Memory notes	8 GB / 16 GB / 32 GB onboard LPDDR4x (4,266 MHz) Dual channel support			
LAN	10/100/1,000 MBit/s Intel® I219LM			
Integrated WLAN	Intel Wi-Fi 6E AX211 - WLAN, BT, SRD	cat. 2		
BIOS version	UEFI Specification 2.8			
BIOS features	InsydeH2O BIOS			
Audio type	On board			
Audio codec	Realtek ALC257			
Audio features	2x built-in speakers (stereo)			
MIL-STD tested	Yes, selected MIL-STD-810H tests pas	sed		
	Accidental damage is not covered under standard international limited warranty.			
Color	Black		Red	
Material	Magnesium		Magnesium	
Display				
Diagonal Size	33.8 cm (13.3-inch)			
Resolution (native)	1,920 x 1,080 pixel			
Graphics	·			
Base unit	LIFEBOOK U9312 black		LIFEBOOK U9312 red	
Graphics brand name	LIFEBOOK 09312 black Intel® Iris® Xe Graphics		Intel® Iris® Xe Graphics	
Graphics notes	Shared memory depending on main memory size and op		•	
Interfaces				
	1 (combo port with Audia line in)		1 (combo port wit	h Audia lina in)
Audio: line-out / headphone	1 (combo port with Audio line-in)	21)	1 (combo port with Audio line-in) 2x digital array microphones (optional)	
Internal microphones USB 3.2 Gen1 (5 Gbps) total	2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality)		2x tightal array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality)	
Thunderbolt [™] 4 total		•		84 (40 Gbps, Power Delivery (15W), DP
	2x Type-C incl. USB4 (40 Gbps, Power Delivery (15W), DP out)		out)	
HDMI	1 Supports 4k@60Hz as specified in H	IDMI 2.0	1 Supports 4k@60	Hz as specified in HDMI 2.0
Ethernet (RJ-45)	1		1	
Memory card slots	1 SD 4.0 Standard SD/microSD card SDHC/microSDHC card SDXC/microSDXC card Speed Class: up to UHS-II		1 SD 4.0 Standard SD/microSD card SDHC/microSDHC card SDXC/microSDXC card Speed Class: up to UHS-II	
SmartCard slot	1 (optional)		1 (optional)	
SIM card slot	1 (Nano-SIM, only for models with configuration WWAN ready or with 4G/5G LTE modules)		1 (Nano-SIM, only for models with configuration WWAN ready or with 4G/5G LTE modules)	
eSIM card	eSIM supported - integrated in 4G/5G LTE Module		eSIM supported - integrated in 4G/5G LTE Module	
Docking connector for Port Replicator	USB Type-C Portreplicator		USB Type-C Portreplicator	
Kensington Lock support	1		1	
Port Replicator interfaces (optional)				
	USB Type-C PR	Thunderbolt [™] 4 PI	3	Thunderbolt™ 4 PR
DC-in	1 (19V/90W required)	1 (20V/170W requ	ired)	1 (20V/170W required)
Power on switch	1	1		1
Audio: line-in / line-out	1	1		1
Audio: comments	Combo jack for headset usage	Combo jack for he	adset usage	Combo jack for headset usage
USB 3.2 Gen1 (5 Gbps) total	3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W			
USB 3.2 Gen2 (10 Gbps) total		2x Type-A - 5 V/0.9 1x Type-A - 5 V/2.4 2x Type-C - 5 V/1.5 port		2x Type-A - 5 V/0.9 A, 4.5 W 1x Type-A - 5 V/2.4 A, 12 W 2x Type-C - 5 V/1.5 A, 4.5 W charging port

Port Replicator interfaces (optional)				
USB 4.0 Gen3 (20 Gbps) total			 1x Type-C - TBT4 up to 60 W (PD v2.0- 1.1), 5-20 V/3. 0A upstream (PC), Intel AMT support (vPRO) to client 1x Type-C - TBT4 up to 15 W (PD v2.0- 1.1), 5 V/3.0 A downstream, power output to peripheral 	
DisplayPort	1x v1.2	2x v1.4++	2x v1.4++	
VGA	1			
HDMI text	1 -Supports 4k@60Hz as specified in HDMI 2.0b	1 - supports 4k@60Hz as specified in HDMI 2.0b	1 - Supports 4k@60Hz as specified in HDMI 2.0b	
Interface Notes	1x USB Type-C to Client - Up to 60 W (PD v2.0-1.1) power output to client o 4.5W input	1x USB Type-C to Client - r Thunderbolt™ 4 up to 60 W (PD v2.0- 1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO)	1x USB Type-C to Client - Thunderbolt™ 4 up to 60 W (PD v2.0- 1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO)	
Kensington Lock support	no	1	1	
Ethernet (RJ-45)	1 (10/100/1000)	1 (10/100/1000 Mbit/s, 2,5 Gbps)	1 (10/100/1000 Mbit/s, 2,5 Gbps)	
Notes	Number of simultaneous used displays and its possible resolutions and frequencies depend on mobile system and display interface type. Please consult always also the manual of the connected client.			
Keyboard and pointing devices				
	Backlit keyboard w/o touchstick			
	Number of keyboard keys: 85, Keyboa	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.5 mm		
	Multi gesture touchpad with two mou	Multi gesture touchpad with two mouse buttons		
Wireless technologies				
Antennas	2 Dual band WLAN antennas, 2+2 LTE antennas optional			
Bluetooth	v5.3 hardware ready but may run at lower version due to OS limitation			
Integrated WLAN	Intel Wi-Fi 6E AX211 - WLAN, BT, SRD cat. 2			
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Ac	WPA/WPA2/WPA3 (Wi-Fi Protected Access)		
WLAN notes	WiFi 6E is supported by Windows 11 OS only - Windows 10 OS supports WiFi 6 only. Import and usage according to country-specific regulations.			
Integrated WWAN	(5G) LTE Fibocom FM350-GL (Sub-6/Cat.19) - UMTS,LTE,5G (4G) LTE Quectel EM120R-GL (Cat.12) - UMTS,LTE			
WWAN notes	Optional			
GPS	Embedded in 4G/5G module if config	ured with WWAN		
Power supply				
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 H (grounded) Type-C AC-Adapter slim&		A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin C AC-Adapter slim&light	
Notes	65W AC adapter for usage with syster Adapter for usage with Port Replicato		or usage with system/ min. 90W AC e with Port Replicator	
Rated voltage range	100 V - 240 V (AC Input)	100 V - 240 V (AC	Input)	
Rated frequency range	50 Hz - 60 Hz	50 Hz - 60 Hz		
1st battery	Lithium polymer battery 4-cell, 64 Wh	, 4,196 mAh Lithium polymer	battery 4-cell, 64 Wh, 4,196 mAh	
Battery features	Fast Charge: Up to 80% in 1h	Fast Charge: Up t	o 80% in 1h	
Runtime 1st battery	up to 12h 34min	up to 12h 34min		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapc com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.			
Noise emission				
Noise emission	Please refer to the Eco Declaration			

Dimensions / Weight / Environmental			
Dimensions (W x D x H)	307 x 197 x 15.5 mm		
	12.09 x 7.76 x 0.61 inch		
Weight	starting at 885 g		
Weight (lbs)	starting at 1.95 lbs		
Weight notes	Weight may vary depending on actual configuration		
Operating ambient temperature	5 - 35 °C (41 - 95 °F)		
Operating relative humidity	20 - 80 %		
Compliance			
Product	LIFEBOOK U9312		
Model	9U13A3		
Europe	CE CB		
Global	TCO Certified 9.0 ENERGY STAR® 8.0 EPEAT® Gold (dedicated regions)		
Compliance link	https://sp.ts.fujitsu.com/sites/certificates		
Additional Software			
Additional software (preinstalled)	Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)		
Additional software (optional)	Microsoft Office (need to buy license to activate the pre-installed Microsoft Office) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®		
Additional software (notes)	Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.		
Manageability			
Manageability technology	Intel® vPro™ technology/iAMT (depending on processo PXE Boot code Wake-on-LAN	or)	
Manageability software	DeskView Client DeskView Instant BIOS Management		
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)		
Manageability link	https://www.fujitsu.com/global/products/computing/	pc/manageability/	
Physical Security	Kensington Lock support		
System and BIOS Security	User and supervisor BIOS password EraseDisk Optional: Trusted Platform Module (TPM 2.0)		
User Security	Access protection via external SmartCard reader (optional) Hard disk password AuthConductor Client Basic (secure authentication solution) Embedded PalmSecure [®] sensor (optional) Embedded fingerprint sensor (optional)	Access protection via internal SmartCard reader (optional) Hard disk password AuthConductor Client Basic (secure authentication solution) Embedded PalmSecure [®] sensor (optional) Embedded fingerprint sensor (optional)	

Security Notes	The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this produc is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practices and/or general product operation.
Warranty	
Warranty period	2 years (for countries within EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patc for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujit

	com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.
Product Support - the perfect extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

USB-C Hub 4 Ports	Fujitsu offers the first most powerful USB-C hybrid usage hub, following industrial requirements as well as being ready for office desktop usage. The USB-C Hub 4 Ports from Fujitsu makes connecting all of your USB peripherals a quick and simple process. SuperSpeed USB Type-C makes data transfer to and from external storage faster than ever. The hub dynamically selects the optimal speed for each device, giving you more bandwidth where you need it automatically.
Prestige Case Mini 13 (2021)	The Prestige Case Mini 13 protects notebooks with up to 13-inch screens. One main compartment has a notebook and a tablet pocket. You find two more useful compartments at the front. One with a red inlay is for accessories or power cable. An additional front compartment is for smaller things.
PLEVIER TACAN 14	The Plevier Tacan 14 leather notebook bag provides a diverse range of features to optimize your carrier needs. With a shoulder strap, fast access pocket on the rear side and two compartments for your device and additional accessories, the bag provides multifunctional and protective space for your belongings. Its brown leather design creates a sleek finish to create a carrier that is high quality in both functionality and appearance.
Wireless Mouse WI860 BTC	The Wireless Mouse WI860 BTC can be paired with up to 3 different clients, Order Code: 2x Bluetooth and 1x wireless USB Type-C dongle. S26381-K474-L100 With the blue optical sensor, it works on nearly all surfaces with an 3-step adjustable DPI selector (800/1600/2400). The mouse charges wirelessly through Qi or by USB Type-C cable. A utility button on the side is programmable. The default functions are optimized for Teams calls.

More information

Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK U9312, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/ computing/

Software www.fujitsu.com/software/

More information

Learn more about Fujitsu Notebook LIFEBOOK U9312, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/ computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www. fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/ global/about/resources/terms/ Copyright 2024 Fujitsu Technology Solutions GmbH

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2024-04-06 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/ Copyright 2024 Fujitsu Technology Solutions GmbH