Fujitsu recommends Windows 11 Pro.



Data Sheet

Fujitsu Notebook LIFEBOOK E5511

Your Powerful and Modern Business Device

The FUJITSU Notebook LIFEBOOK E5511 is designed for office workers needing a powerful, fully-equipped notebook. Thanks to the 11th generation Intel® Core™ processor you can work efficiently wherever you are. The advanced security features like PalmSecure™ are protecting your business data against unauthorized access. Modern Standby provides you an instantly ready and always connected notebook.

Modern and robust design

Reliable mobility, ease of use and modern good looks for everyday business demands

- Slim 23.9 mm entry notebook starting at 2.04 kg with a solid design
- Enjoy an ergonomic viewing experience with a 15.6-inch outdoor friendly anti-glare FHD display
- With optional touch or non-touch screen
- Long Lifecycle with 24 months

Reliable and secure performance

Protect your business data from unauthorized access at all times

- Integrated PalmSecure[™] or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Intel® Iris® Xe Graphics
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader and TPM 2.0

Best in class connectivity

Be flexible and stay productive anywhere, anytime

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of ports with a full-sized HDMI, VGA and LAN connector and USB Type-C
- Based on the latest QuadCore Intel processor, enabling data to be processed faster

Convenient serviceability and upgradeability

Easy access to key components reduces upgrade time and costs

■ Battery, memory, internal storage and connectivity components can be changed with ease

Long-term stable platform

Protect your investments and be ready for shared desk concepts

■ This LIFEBOOK E5 Series provides an extraordinary guaranteed product lifecycle of 24 months.

















Components

Base unit	LIFEBOOK E5511	
Operating systems		
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 11 Home	
	Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.	
Operating system compatible	FREE Upgrade to Windows 11* *Upgrade timing may vary by device. Features and app availability may vary by region. Certain features require specific hardware (see aka.ms/windows11-spec).	
Microsoft OS support information	Windows 11 requires for first device setup: - Internet connectivity	
	 Microsoft account for Home editions or organizational account (e.g. ADD) for Pro editions After product end of life, Fujitsu continues to test and support new Windows releases for max. 5 years, depending on extension of hardware services through warranty top ups. For more details please visit our Fujitsu Service Statement under https://support.ts.fujitsu.com/IndexProdSupport. 	
	asp?lng=com&OpenTab=	
Operating system notes	The use of Windows Operating System is subject to acceptance of the End User License Agreement of Microsoft as applicable under the relevant Microsoft program.	
Processor	Intel® Core™ i7-1185G7 processor (4 Cores / 8 Threads, up to 4.8 GHz)	
	*Processor only for retail, SMB, education and government	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 3,200 MT/s, SO DIMM	
	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM	
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM	
	32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, SO DIMM	
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module	
	PCIe-SSD, 1 TB M.2 NVMe module, SED	
Hard disk notes	Accessible capacity may vary, also depending on used software.	
Interface add on cards/components (optional)		
3G/4G (optional)	LTE Sierra Wireless EM7421 (Cat.7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)	
Display	39.6 cm (15.6-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare multi-touch, 250 cd/m² (Touch), 700:1 (Touch)	
	39.6 cm (15.6-inch), FHD, 1,920 x 1,080 pixel, Anti-glare IPS display, 250 cd/m² (FHD), 700:1 (FHD)	
Multimedia		
Camera	Built-in webcam (HD) with Status LED Built-in Infrared webcam (HD) with Status LED	
Camera notes	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter	
Microphone	dual digital array microphone	

Base unit

Base unit	LIFEBOOK E5511
General system information	
Chipset	Integrated
Supported capacity RAM (min.)	4 GB
Supported capacity RAM (max.)	64 GB

General system information			
Memory slots	2 SO DIMM (DDR4, 3200 MHz)		
Memory notes	Dual channel support		
LAN	10/100/1,000 MBit/s Intel® I219LM		
Integrated WLAN	Intel WiFi 6 AX201 - WLAN, BT, SRD cat. 1		
BIOS version	UEFI Specification 2.7		
BIOS features	InsydeH2O BIOS		
Audio type	On board		
Audio codec	Realtek ALC255		
Audio features	2x built-in speakers (stereo)		
MIL-STD tested		ssed. Juarantee of future performance under i nder standard international limited warr	
Display			
Display notes	FHD - Viewing angle: Left/Right 80°, * HD Display option available in LIFE	Top 80°, Bottom 80°; Color Gamut: 45% BOOK E5511/HD baseunit *	NTSC, response time 25 ms
Base unit	LIFEBOOK E5511		
TFT resolution (DisplayPort)	up to 3,840 x 2,160 @ 60 Hz		
TFT resolution (HDMI)	Up to 4,096 x 2,160 pixel (30 Hz)		
TFT resolution (VGA)	up to 1,920 x 1,200		
Graphics brand name	Intel® UHD Graphics (with Single cha	nnel memory), Intel® Iris® Xe Graphics (\	with Dual channel memory)
Graphics features	3 Display Support		
	DirectX® 12		
6 1:	OpenGL® 4.5		
Graphics notes	Shared memory depending on main	memory size and operating system	
Interfaces (Base unit specific)			
DC-in	1		
Audio: line-in / line-out	1		
Internal microphones	2x digital array microphones (optional)		
USB 3.2 Gen1 (5 Gbps) total	2x Type-A (1 with Anytime USB charge functionality)		
USB 4.0 Gen3 (20 Gbps) total	1x Type-C Intel® Thunderbolt™ 4 (4	O Gbps), Power Delivery (15W), DP out	
VGA	1		
DisplayPort	1 v1.2 (cannot be used together with		
HDMI	1 v1.4b (cannot be used together wi	th DisplayPort)	
Ethernet (RJ-45)	1		
Memory card slots	1 SD 3.0 Standard SD/microSD card SDHC/microSDHC card SDXC/microSDXC card Speed Class: up to UHS-I		
SmartCard slot	1 (optional)		
SIM card slot	1 (Nano-SIM, only for models with in	tegrated 4G/LTE module)	
Docking connector for Port Replicator	1		
Kensington Lock support	1		
Port Replicator interfaces (optional)			
	Thunderbolt™ 4 PR	Model: NPR46 (mech. PR)	USB Type-C PR
DC-in	1 (20V/170W required)	1 (19V/90W required)	1 (19V/90W required)
Power on switch	1	1	1
Audio: headphone		1	
Audio: microphone		1	
Audio: comments	1 Combo jack for headset usage		1 Combo jack for headset usage
USB 3.2 Gen1 (5 Gbps) total		4x Type-A 2x Type-C	
DisplayPort	2x V1.4++	2 (up to 2x 3840x2160 60Hz)	1x V1.2

VGA		1 (up to 1920x1200 60Hz)	1	
DVI		1 (up to 1920x1200 60Hz)		
HDMI text	V 2.0b	(up to 1320x1200 00f72)	_ 1	
	2x Type-A - 5V/0.9A, 4.5W			
Interface Notes	1x Type-A - 5V/2.4A, 12W		3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W	
	2x Type-C - 5V, 1.5A/4.5W charging		1x Type-C - Up to 60 W (PD v2.0-1.1)	
	port		power output to client or 4.5W input	
	1x Type-C - TBT4 up to 60 W (PD v2.0-			
	1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO)			
	1x Type-C - TBT4 up to 15 W (PD			
	v2.0-1.1), 5V/3.0A downstream, power			
	output to client			
Kensington Lock support	1	1 (Portrep only, Portrep option with	no	
Ethernet (RJ-45)	1 (10/100/1000 Mbit/s, 2,5 Gbps)	key lock to secure Portrep & System)	1	
Notes	Number of simultaneous used	1 RJ45 (10/100/1000)	Number of simultaneous used	
140.03	displays and its possible resolutions	1 10/3 (10/100/1000)	displays and its possible resolutions	
	and frequencies depend on mobile		and frequencies depend on mobile	
	system and display interface type.		system and display interface type.	
	Please consult always also the manual of the connected client.		Please consult always also the manual of the connected client.	
	of the connected chefft.		of the connected cheff.	
Keyboard and pointing devices		0 // 1 // 1 // 1 // 1 // 1 // 1		
	Keyboard w/o touchstick (spill-resistan	· · · · · · · · · · · · · · · · · · ·		
		Number of keyboard keys: 106, Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm		
	Multi gesture touchpad with two mou	se buttons		
Wireless technologies				
Antennas	2 Dual band WLAN antennas, 2 LTE ant	ennas optional		
Bluetooth		v5.1		
Integrated WLAN		Intel WiFi 6 AX201 - WLAN, BT, SRD cat. 1		
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Acc	· · · · · · · · · · · · · · · · · · ·		
WLAN notes	Import and usage according to country	y-specific regulations.		
LTE/UMTS/GPS notes	Optional	TC LTC		
Integrated WWAN		LTE Sierra Wireless EM7421 (cat.7) - UMTS,LTE		
GPS	Embedded in 4G module if configured	WITH WWAIN		
Power supply				
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 H	· - · · · · · · · · · · · · · · · · · ·	· ·	
AC Adapter		19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) DC-in AC-Adapter (for PR)		
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 H		•	
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 H		- · · · · · · · · · · · · · · · · · · ·	
Notes	65W AC Adapter for usage with system		Replicator	
1st battery	Lithium polymer battery 4-cell, 50 Wh,	3,490 mAh		
Battery features	Quick Charge: 80% in 1h			
Runtime 1st battery	8 h 30 min		A-1-:1-NA1-® 2010 D. C	
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco com for additional details.			
	The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between			
	manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary			
	depending on product model, configu		ment settings. The battery capacity	
	decreases slightly with every re-charge	e and over its lifetime.		
Noise emission				
Noise emission	Please refer to the Eco Declaration			

Dimensions / Weight / Environmental	
Dimensions (W x D x H)	379 x 256 x 23.9 mm
	14.92 x 10.08 x 0.94 inch
Weight	2.04 kg
Weight (lbs)	4.49 lbs
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	20 - 80 %
Compliance	
Product	LIFEBOOK E5511
Model	5E15A2
Germany	GS (Full HD Display only)
Europe	CE
	CB
USA/Canada	FCC (depending on configuration) (planned)
Global	RoHS (Restriction of hazardous substances)
	WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL)
	TCO Certified 8.0 (depending on configuration)
	ENERGY STAR® 8.0
	MIL-STD-810H tested
	EPEAT® Silver (dedicated regions), depending on configuration
India	BIS
Russia	EAC
China	CCC (depending on configuration)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	Fujitsu Plugfree Network (network management utility)
	Fujitsu Anytime USB Charge Utility
	Fujitsu Battery Utility
	Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)
Additional software (entional)	Recovery DVD for Windows®
Additional software (optional)	Drivers & Utilities DVD (DUDVD)
	Microsoft® Office Professional 2019
	Microsoft® Office Home and Business 2019
	(A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the
	region in which it was acquired.)
Additional software (notes)	Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License
	Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support
	subscription which – depending on the Software - may be subject to separate remuneration.
 Manageability	, , , , , , , , , , , , , , , , , , ,
Manageability technology	DeskUpdate Driver management
Manageability technology	PXE 2.1 Boot code
	Wake up from S5 (off mode)
	WoL (Wake on LAN)
	Intel® vPro™ technology
Manageability software	DeskView Instant BIOS Management
DeskView components	DeskView Instant BIOS Management Inventory Management
nesymem combonents	Inventory Management BIOS Management
	Driver Management
	Security Management
	Alarm Management

Manageability	
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
Manageability link	https://www.fujitsu.com/global/products/computing/pc/manageability/
Security	
System and BIOS Security	EraseDisk Trusted Platform Module (TPM 2.0)
User Security	Access protection via internal SmartCard reader (optional) Embedded PalmSecure™ sensor (optional) Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password
Security Notes	The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this product is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practices and/or general product operation.
Warranty	
Warranty period	1 year (for countries in EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu.com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.
Product Support - the perfect extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/

http://www.fujitsu.com/emeia/products/product-support-services/

additional charger.

Recommended Accessories

Port Replicator for LIFEBOOK U7 and E5 family with key lock (2020)

Service Weblink



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

S26391-F1607-L219

USB Type-C Port Replicator 2



Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA. You also can charge your external USB devices without the need of any

Order Code: S26391-F3327-L100

Battery 4 cell 50 Wh



The 4 cell 50 Wh battery requires a voltage of 14.4 V and has a capacity of 3490 mAh. The weight of the battery is 300 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge.

Order Code: S26391-F1616-L100

Prestige Backpack 17 (2021)



The Fujitsu Prestige Backpack 17 (2021) protects notebooks with up to 17-inch displays. It contains three large compartments, an elastic mesh side pocket and a front bay. The padded back compartment provides protection for your notebook, while the other sections store power adaptors and office supplies. Padded shoulder straps and back cushions provide comfort on the move.

Order Code: S26391-F1120-L135

Wireless Mouse WI860 BTC



The Wireless Mouse WI860 BTC can be paired with up to 3 different clients, Order Code: 2x Bluetooth and 1x wireless USB Type-C dongle. With the blue optical sensor, it works on nearly all surfaces with an 3-step adjustable DPI selector (800/1600/2400).

The mouse charges wirelessly through Qi or by USB Type-C cable. A utility button on the side is programmable. The default functions are optimized for Teams calls.

S26381-K474-L100

More information

Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK E5511, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about Fujitsu Notebook LIFEBOOK E5511, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/Copyright 2023 Fujitsu Technology Solutions GmbH

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2023-05-02 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/
Copyright 2023 Fujitsu Technology Solutions GmbH