

Data Sheet Fujitsu LIFEBOOK E5410

Your Powerful and Modern Business Device

The FUJITSU Notebook LIFEBOOK E5410 is exclusively designed for office workers needing a powerful, fully-equipped notebook. Thanks to the 10th generation Intel® Core™ processor you can work efficiently wherever you are. The advanced security features like PalmSecure™ are protecting your business data against unauthorized access. Modern Standby provides you an instantly ready and always connected notebook.

Modern and robust design

Reliable mobility, ease of use and modern good looks for everyday business demands

- Slim 23.9 mm entry notebook starting at 1.79 kg with a solid design
- Enjoy an ergonomic viewing experience with a 14.0-inch anti-glare HD or FHD display
- Durability is Military Standard MIL-STD-810H tested

Reliable and secure performance

Protect your business data from unauthorized access at all times

- Integrated PalmSecure™ or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader and TPM 2.0

Best in class connectivity

Be flexible and stay productive anywhere, anytime

- Full set of ports with a full-sized HDMI, VGA and LAN connector and USB Type-C
- Based on the latest QuadCore Intel processor, enabling data to be processed faster

Convenient serviceability and upgradeability

Easy access to key components reduces upgrade time and costs

 Battery, memory, internal storage and connectivity components (LTE & WLAN) can be changed with ease

Shared port replicator concept

Protect your investments and be ready for shared desk concepts

 Shared family port replicator with the LIFEBOOK U7 family ensures ultimate flexibility and workplace sharing

















Components

Base unit	LIFEBOOK E5410	
Operating systems		
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 10 Home	
Operating system compatible	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 11 Home	
Operating system notes	Windows 10 Support: After the end of the product life Fujitsu will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through Fujitsu Warranty top ups. For details please see "Fujitsu Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support.ts.fujitsu.com.	
	Intel® Core™ i7-10610U processor (4 Cores / 8 Threads, 1.8 GHz, up to 4.9 GHz)	
	Intel® Core™ i7-10510U processor (4 Cores / 8 Threads, 1.8 GHz, up to 4.9 GHz) *	
	Intel® Core™ i5-10310U processor (4 Cores / 8 Threads, 1.7 GHz, up to 4.4 GHz)	
	Intel® Core™ i5-10210U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.2 GHz) *	
Processor	Intel® Core™ i3-10110U processor (2 Cores / 4 Threads, 2.1 GHz, up to 4.1 GHz) *	
	*Processor only for retail, SMB, education and government	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,666 MT/s, SO DIMM	
	8 GB (1 8 GB) DDR4, 2,666 MT/s, SO DIMM	
	16 GB (1 16 GB) DDR4, 2,666 MT/s, SO DIMM	
	32 GB (1 32 GB) DDR4, 2,666 MT/s, SO DIMM	
	PCIe-SSD, 512 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module	
	PCIe-SSD, 1 TB M.2 NVMe module, SED	
Hard disk drives (internal)		
Hard disk notes	Accessible capacity may vary, also depending on used software.	
Interface add on cards/components (optional)		
3G/4G (optional)	LTE Sierra Wireless EM7421 (Cat.7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)	
	35.6 cm (14.0-inch), LED backlight, HD, 1,366 x 768 pixel, Anti-glare display, 200 cd/m², 350:1	
Display	35.6 cm (14.0-inch), LED backlight, FHD, 1,920 x 1,080 pixel, Anti-glare IPS display, 220 cd/m², 700:1	
Multimedia		
Camera	Built-in webcam (HD) with Status LED Built-in Infrared webcam (HD) with Status LED	
Camera notes	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter	
Microphone	dual digital array microphone	

Base unit

Base unit	LIFEBOOK E5410
General system information	
Chipset	Integrated
Supported capacity RAM (min.)	4 GB
Supported capacity RAM (max.)	64 GB
Memory slots	2 SO DIMM (DDR4, 2666 MHz)

Page 2 / 7 http://ts.fujitsu.com

General system information		
Memory notes	Dual channel support	
LAN	10/100/1,000 MBit/s Intel® I219LM	
Integrated WLAN	Intel WiFi 6 AX201	
BIOS version	UEFI Specification 2.7	
BIOS features	InsydeH2O BIOS	
Audio type	On board	
Audio codec	Realtek ALC255 with MaxxAudio	
Audio features	2x built-in speakers (stereo)	
MIL-STD tested	Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.	
Display		
Brightness - typical	FHD - 220 cd/m ²	
Contrast - typical	FHD 700:1	
Display notes	FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom	80°; Color Gamut: 45%, response time 25 ms
Graphics		
Base unit	LIFEBOOK E5410	
TFT resolution (HDMI)	Up to 4,096 x 2,160 pixel (30 Hz)	
TFT resolution (VGA)		
Graphics brand name	up to 1,920 x 1,200 Intel® UHD Graphics	
Graphics features	3 Display Support DirectX® 12	
	OpenGL® 4.5	
Graphics notes	Shared memory depending on main memory size an	d operating system
Interfaces (Base unit specific)		
DC-in	1	
Audio: line-out / headphone	1 (combo port with Audio line-in)	
Audio: line-in / microphone	1 (combo port with Audio line-out)	
Internal microphones	2x digital array microphones (optional)	
USB 3.2 Gen1 (5 Gbps) total	2x Type-A (1 with Anytime USB charge functionality)	
USB 3.2 Gen2 (10 Gbps) total	1x Type-C (with Power Delivery functionality)	
VGA	1	
DisplayPort	no interface but via USB Type-C adapter (v1.2b)	
HDMI	1 v1.4b	
Ethernet (RJ-45)	1 (with status LED)	
Memory card slots	1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)	
SmartCard slot	1 (optional)	
SIM card slot	1 (Micro-SIM, only for models with integrated 4G/LTE module)	
Docking connector for Port Replicator	1	
Kensington Lock support	1	
Port Replicator interfaces (optional)		
	Model: NPR46 (mech. PR)	USB Type-C PR
DC-in	1 (19V/90W required)	1 (19V/90W required)
Power on switch	1	1
Audio: headphone	1	
Audio: microphone	1	
Audio: comments		1 Combo jack for headset usage

Page 3 / 7 http://ts.fujitsu.com

Port Replicator interfaces (optional)				
USB 3.2 Gen1 (5 Gbps) total	4x Type-A 2x Type-C			
DisplayPort	2 (up to 2x 3840x2160 60Hz)	1x V1.2		
VGA	1 (up to 1920x1200 60Hz)	1		
DVI	1 (up to 1920x1200 60Hz)			
HDMI text		1		
Interface Notes		3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input		
Kensington Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)	no		
Ethernet (RJ-45)		1		
Notes	1 RJ45 (10/100/1000)	Number of simultaneous used displays and its possible resolutions and frequencies depend on mobile system and display interface type. Please consult always also the manual of the connected client.		
Keyboard and pointing devices				
	Keyboard w/o touchstick (spill-resistant), Keyboard w/ to	ouchstick, Backlit keyboard w/o touchstick		
	Number of keyboard keys: 85, Keyboard pitch: 18.4 mm,	·		
	Multi gesture touchpad with two mouse buttons			
	Status LED			
	Power Button			
Wireless technologies				
Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional			
Bluetooth	v5.0			
Integrated WLAN	Intel WiFi 6 AX201			
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Access)			
WLAN notes	Import and usage according to country-specific regulation	ons.		
Integrated LTE or UMTS	LTE Sierra Wireless EM7455 (cat.6)			
LTE/UMTS/GPS notes	Optional			
GPS	Embedded in 4G module if configured with WWAN			
Power supply				
AC Adapter	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (gr	rounded) DC-in AC-Adapter (for PR)		
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (gr	·		
Notes	65W AC Adapter for usage with system/ 90W AC Adapte	•		
1st battery	Lithium polymer battery 4-cell, 50 Wh			
Battery features	Quick Charge: 80% in 1h			
Runtime 1st battery				
Battery notes	up to 10 h 20 min Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapc com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.			
Dimensions / Weight / Environmental				
Dimensions (W x D x H)	333.6 x 234 x 23.9 mm			
	13.13 x 9.21 x 0.94 inch			
Weight	from 1.79 kg			
Weight (lbs)	from 3.94 lbs	•		
Weight notes	Weight may vary depending on actual configuration			
Operating ambient temperature	5 - 35 °C (41 - 95 °F)			
Operating attituent terminerature				

Page 4/7 http://ts.fujitsu.com

Compliance		
Product	LIFEBOOK E5410	
Model	5E14A1	
Germany	GS (Full HD Display only)	
Europe	CE	
Larope	CB	
USA/Canada	FCC (depending on configuration)	
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) TCO Certified 8.0 (depending on configuration) EPEAT® Silver (dedicated regions) ENERGY STAR® 8.0 MIL-STD-810H tested	
India	BIS	
Russia	EAC	
China	CCC (depending on configuration)	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates	
Additional Software		
Additional software (preinstalled)	McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)	
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink YouCam (webcam software) Microsoft® Office Professional 2019 Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.)	
Manageability	_	
Security		
System and BIOS Security	EraseDisk Trusted Platform Module (TPM 2.0)	
User Security	Embedded PalmSecure™ sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password	
Warranty		
Warranty period	1 year (for countries in EMEIA)	
Warranty type Product Support - the perfect extension	Bring-in Service / Collect & Return Service (depending on country)	
Recommended Service	9x5, Onsite Response Time: Next Business Day	
necommended service	,	

Page 5 / 7 http://ts.fujitsu.com

Recommended Accessories

Port Replicator for LIFEBOOK U7 and E5 family with key lock (2020)



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

S26391-F1607-L219

USB Type-C Port Replicator 2



Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA. You also can charge your external USB devices without the need of any

Order Code: S26391-F3327-L100

Battery 4 cell 50 Wh



additional charger.

The 4 cell 50 Wh battery requires a voltage of 14.4 V and has a capacity of 3490 mAh. The weight of the battery is 300 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge.

Order Code: S26391-F1616-L100

USB-C Hub 4 Ports



Fujitsu offers the first most powerful USB-C hybrid usage hub, following industrial requirements as well as being ready for office desktop usage. The USB-C Hub 4 Ports from Fujitsu makes connecting all of your USB peripherals a quick and simple process. SuperSpeed USB Type-C makes data transfer to and from external storage faster than ever. The hub dynamically selects the optimal speed for each device, giving you more bandwidth where you need it automatically.

Order Code: S26391-F6099-L404

Privacy Filters



To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages.

Order Code: S26391-F6098-L214

http://ts.fujitsu.com Page 6 / 7

More information

In addition to FUJITSU LIFEBOOK E5410, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business

agility and to improve their IT operation's

Fujitsu Portfolio

reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK E5410, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. http://ts.fujitsu.com All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

Contact

Address: x-xx-x, street, city, state, ZIP code, country Phone: xx-xxxx-xxxx
Fax : xx-xxxx-xxxx
Email: xxx.xxxxxx(fujitsu.com
Website: www.fujitsu.com/[country]
2023-05-02 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2020