C140-0015-01ENZ3

FUJITSU Storage ETERNUS AX series All-Flash Arrays, ETERNUS HX series Hybrid Arrays

# Performance Characterization of Cloud Volumes ONTAP for Azure with Application Workloads





## **Table of Contents**

1.	Introduction	5
2.	Differences Among Virtual Machines	6
3.	Test Configurations	7
4.	Summary of Test Results	8
	OLTP Workload	
	Streaming Read Workload	9
	Streaming Write Workload	9
	Analytics Workloads	
	Data on FabricPool	
5.	Conclusion	11

## List of Tables

Table 1	Capabilities of supported Azure Microsoft virtual machines	6
Table 2	OLTP workload IOPS and latency	8
Table 3	Streaming read workload throughput	
Table 4	Streaming write workload throughput	9
Table 5	Analytics workload throughput	
	- /	-

### Preface

This document examines the performance and fit of application workloads to Cloud Volumes ONTAP instances that are running in Microsoft Azure.

Copyright 2022 FUJITSU LIMITED

First Edition October 2022

### Trademarks

Third-party trademark information related to this product is available at: https://www.fujitsu.com/global/products/computing/storage/eternus/trademarks.html

Trademark symbols such as <sup>™</sup> and <sup>®</sup> are omitted in this document.

### About This Manual

#### **Intended Audience**

This manual is intended for system administrators who configure and manage operations of the ETERNUS AX/HX, or field engineers who perform maintenance. Refer to this manual as required.

#### **Related Information and Documents**

The latest information for the ETERNUS AX/HX is available at: https://www.fujitsu.com/global/support/products/computing/storage/manuals-list.html

### **Document Conventions**

#### Notice Symbols

The following notice symbols are used in this manual:



Indicates information that you need to observe when using the ETERNUS AX/HX. Make sure to read the information.



Indicates information and suggestions that supplement the descriptions included in this manual.

## 1. Introduction

To help Fujitsu customers select the most appropriate solutions for their IT infrastructure, Fujitsu provides up-todate documentation describing its products. This document describes the results of performance tests for the Cloud Volumes ONTAP data management software running on Microsoft Azure virtual machines. Fujitsu partners, customers, and employees can use this information to make informed decisions about which workloads are appropriate for Cloud Volumes ONTAP.

- Cloud Volumes ONTAP single-node clusters of the following Microsoft Azure virtual machines:
  - Standard\_DS14\_v2 (Premium license)
  - Standard\_DS4\_v2 (Standard license)
  - Standard\_DS3\_v2 (Explore license)
- A Microsoft Windows Server 2012 R2 host running lometer. For each test, the virtual machine used for the lometer machine matched the Cloud Volumes ONTAP system virtual machine.
- The iSCSI protocol for block workloads.

## 2. Differences Among Virtual Machines

The Azure documents General purpose virtual machine sizes and Memory optimized virtual machine sizes describe the capabilities of the different Windows virtual machines in terms of network, CPU, and memory.

The specific combination of these components is what determines the overall performance of an instance. For Cloud Volumes ONTAP, the CPU capability contributes to general performance, whereas memory contributes heavily to read performance. The network capability acts as a throughput limiting factor that is independent of read and write performance levels.

VM Туре	CPU	RAM	Expected Network Bandwidth (Mbps)
Standard_DS3_v2	4	14GB	3000
Standard_DS4_v2	8	28GB	6000
Standard_DS14_v2	16	112GB	12000

#### Table 1 Capabilities of supported Azure Microsoft virtual machines

## 3. Test Configurations

All test configurations used the iSCSI protocol for block I/O connectivity. The tests focused on the following:

- Iometer was used to generate I/O workloads. We used different numbers of LUNs and different numbers of outstanding I/O operations to see the effect of concurrency level on IOPS, throughput, and latency.
- Normal writing speed was used for single-node systems. Under normal write speed, data is written directly to disk, minimizing the likelihood of data loss if an unplanned system outage occurs. Conversely, when high write speed is used, data is buffered in memory before it is written to disk. This configuration provides faster write performance but increases the potential for data loss if an unplanned system outage occurs. High write speed is recommended if fast write performance is required and you can tolerate the risk of data loss due to an unplanned system outage. For example, data loss might be handled by the application.
- We tested different Microsoft Azure virtual machines. The virtual machines tested had different hardware characteristics, and, because they belonged to different licensing packages, different costs were incurred by Microsoft Azure and Fujitsu. A virtual machine from each licensing package was picked for the tests.
- All the tests were performed with Premium\_LRS volumes. Cloud Volumes ONTAP supports an extra volume type: Standard\_LRS.
- Cloud Volumes ONTAP was tested on three different Microsoft Azure virtual machines:
  - Standard\_DS3\_v2, included in the Explore license, which allows up to 2TB of storage
  - Standard\_DS4\_v2, included in the Standard license, which allows up to 10TB of storage
  - Standard\_DS14\_v2, included in the Premium license, which allows up to 252TB of storage

## 4. Summary of Test Results

Each tested configuration consisted of a unique workload that is representative of the workloads used in widely deployed POSIX applications:

#### • OLTP workload

8KB block size, 100% random access I/O, and a mixture of 70% reads. This workload simulates database applications (SAP, Oracle, SQL) and OLTP servers.

• Streaming reads

64KB block size, 100% reads, and 100% sequential access I/O. This workload simulates applications such as media servers (for example, video on demand) and Virtual Tape Libraries (VTL).

• Streaming writes

64KB block size, 100% writes, and 100% sequential access I/O. This workload simulates applications such as media capture, virtual type libraries, medical imaging, archiving, backup, and video surveillance.

• Analytics

16KB block size, 50% reads, and 100% random access I/O. Analytics workloads are unplanned by nature. They involve both read and write operations and require high throughput and low latency.

The test workloads differed significantly. Collectively, however, they represent workloads that might be considered for a Cloud Volumes ONTAP deployment. The results of each test are discussed separately in this section because the workloads were so different.

### **OLTP Workload**

The 8KB block size workload simulates an OLTP transactional database. Transactional workloads tend to be read heavy as data about an item is retrieved, but they involve a smaller number of writes as transactions are committed. Transactional workloads are highly sensitive to write latency, especially for writes to the transaction log. Typically, it is optimal for log writes not to exceed 15ms of latency. Lower latency is always better.

The workload tested consisted of 8KB block size, 70% reads, and 100% random access I/O.

<u>Table 2</u> shows the results of 8KB blocks, 70% reads, and 100% random access I/O for the different virtual machines.

VM Туре	IOPS for Single Node (Ops/s)	Latency for Sin- gle Node (msec)	IOPS for HA pair (Ops/s)	Latency for HA pair (msec)	License
Standard_DS14_v2	18120	9	17195	10	Premium
Standard_DS4_v2	18770	7	15995	11	Standard
Standard_DS3_v2	15755	8	Not applicable	Not applicable	Explore

Table 2 OLTP workload IOPS and latency

### Streaming Read Workload

We tested a workload with a large contiguous read request size that simulates applications such as media servers (for example, video on demand) and Virtual Tape Libraries (VTL). The workload consisted of 64KB block size, 100% reads, and 100% sequential access I/O.

The most significant measurement for this type of workload is throughput, as <u>Table 3</u> shows.

VM Type Throughput for Single Node (MBps)		Throughput for HA pair (MBps)	License
Standard_DS14_v2	427	380	Premium
Standard_DS4_v2	411	346	Standard
Standard_DS3_v2	340	Not applicable	Explore

Table 3Streaming read workload throughput

Cloud Volumes ONTAP has robust performance for streaming reads. The differences between the virtual machines are caused by the networking capabilities of the instance and the number of CPUs available.

### Streaming Write Workload

We tested a workload with a large contiguous write request size that simulates applications such as media capture, Virtual Tape Libraries (VTL), medical imaging, archiving, backup, video surveillance, and reference data. The workload consisted of 64KB block size, 100% writes, and 100% sequential access I/O.

The most significant measurement for this type of workload is throughput, as <u>Table 4</u> shows.

Table 4Streaming write workload throughput

VM Type Throughput for Single Node (MBps)		Throughput for HA pair (MBps)	License	
Standard_DS14_v2	257	243	Premium	
Standard_DS4_v2	258	205	Standard	
Standard_DS3_v2	47	NA	Explore	

Cloud Volumes ONTAP performed well for the streaming write workload.

### Analytics Workloads

We tested a workload with analytics characteristics. Analytics contain a mixture of read and write, for which throughput and latency are the most important measurements. The workload we tested consisted of 16KB block size, 50% read, and 100% random access I/O.

iddle 5 i illarjetes frontioda emologripae	Table 5	Analytics workload throughput
--	---------	-------------------------------

VM Туре	Throughput for Single Node (MBps)	Latency for Sin- gle Node (msec)	Throughput for HA pair (MBps)	Latency for HA pair (msec)	License
Standard_DS14_v2	145	14	152	12	Premium
Standard_DS4_v2	135	9	128	14	Standard
Standard_DS3_v2	90	20	NA	NA	Explore

The results show that Cloud Volumes ONTAP is a good fit for analytics workloads, because it can maintain high throughput under strict latency constraints.

### Data on FabricPool

In the ONTAP 9.5 release, all inactive or cold data in the active file system can be tiered to the Azure Blob. We tested workloads on volumes that had the relevant tiering policy (auto, backup) to cool inactive data to the Azure Blob.

#### Writing to Azure Blob

We worked with Iometer and the iSCSI protocol to stream a write workload on a volume with tiering capacity set to 'auto' while the data was written to EBS. In the background, data that was considered cold was transferred to Azure Blob. We did not see any change in write performance.

Reading from Azure Blob

We worked with the FIO tool on Linux as a client and the NFS protocol, reading from a mounted volume, while all the inactive data was cooled to the Azure Blob. Running 64K BS, random read, average read size was 16K. We saw degradation of about 30%-50% in throughput and IOPS, comparing to reading all the data from EBS drives.

## 5. Conclusion

Cloud Volumes ONTAP was found to be a good fit for OLTP workloads, streaming read workloads, streaming write workloads, and analytics workloads. Cloud Volumes ONTAP is part of a family of products that stretch from the private cloud to the hybrid cloud to the public cloud. The product family runs the ONTAP data management software. Understanding the performance characteristics of Cloud Volumes ONTAP is critical for setting our customers' expectations and enabling their continued success.

#### FUJITSU Storage ETERNUS AX series All-Flash Arrays, ETERNUS HX series Hybrid Arrays Performance Characterization of Cloud Volumes ONTAP for Azure with Application Workloads

#### C140-0015-01ENZ3

Date of issuance: October 2022 Issuance responsibility: FUJITSU LIMITED

- The content of this manual is subject to change without notice.
- This manual was prepared with the utmost attention to detail. However, Fujitsu shall assume no responsibility for any operational problems as the result of errors, omissions, or the use of information in this manual.
- Fujitsu assumes no liability for damages to third party copyrights or other rights arising from the use of any information in this manual.
- The content of this manual may not be reproduced or distributed in part or in its entirety without prior permission from Fujitsu.

