Fujitsu recommends Windows 11 Pro.



Data Sheet

Fujitsu Notebook LIFEBOOK U7411

Ultra-Mobile Meets Ultra Secure

The FUJITSU Notebook LIFEBOOK U7411 is a slim notebook, based on the 11th generation Intel® Core™ processor, for business professionals seeking optimum mobility for business trips and ergonomics in the office. The 14-inch screen, light weight of 1.2 kg, 2x Intel® Thunderbolt™ 4 ports and an all-day battery runtime enables it to provide excellent mobility and portability.

Elegant design and great mobility

Maximize your productivity with premium notebooks providing ultimate convenience

- Thanks to the complete magnesium housing, the weight of the remarkably slim 17.9 mm ultramobile notebook starts at 1.2 kg
- The Intel® Evo™ vPro® platform offers a great thin-and-light notebook experience
- Enjoy the Intel® Iris® Xe Graphics with an FHD or HD display
- The outdoor-friendly anti-glare, FHD touch panel (optional) comes with a narrow bezel design in a warm silver colored chassis

Excellent security

Enhance your security with outstanding features to best protect your notebook and company data

- Integrated PalmSecure[™] or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- ePrivacy Filter: Keep safe from prying eyes
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader and TPM 2.0

Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fasted speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector, full-size HDMI, USB Type-C
- Embedded 4G or 5G/LTE

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

■ Battery, memory and internal storage is hidden under a service door

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

 Shared components such as the same new classic or USB Type-C port replicator, AC Adapter, BIOS and Bit Image across the ultra-mobile LIFEBOOK U7 family

















Components

ures require
ares require
1 11
ars, depending or
exProdSupport.
s)
Гouch)

Base unit

Base unit	LIFEBOOK U7411		
	En EDOGRO7 TT		
General system information			
Chipset	Integrated		
Supported capacity RAM (min.)	4 GB		
Supported capacity RAM (max.)	64 GB		
Memory slots	2 SO DIMM (DDR4, 3200 MHz)		
Memory notes	Dual channel support		
LAN	10/100/1,000 MBit/s Intel® I219LM		
Integrated WLAN	Intel WiFi 6 AX201 - WLAN, BT, SRD ca	t. 1	
BIOS version	UEFI Specification 2.7		
BIOS features	InsydeH2O BIOS		
Audio type	On board		
Audio codec	Realtek ALC255		
Audio features	2x built-in speakers (stereo)		
MIL-STD tested	_	sed. uarantee of future performance under der standard international limited warr	
Color	Warm Silver		
Material	Magnesium		
Display			
Display notes	FHD - Viewing angle: Left/Right 85°, T	op 85°, Bottom 85°; Color Gamut: 72%	NTSC
Graphics			
Base unit	LIFEBOOK U7411		
TFT resolution (HDMI)	Up to 4,096 x 2,160 @ 60 Hz		
Graphics brand name	Intel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory)		
Graphics features	3 Display Support DirectX® 12 OpenGL® 4.5		
Graphics notes	Shared memory depending on main	memory size and operating system	
Interfaces			
Audio: line-in / line-out	1		
Internal microphones	2x digital array microphones (optiona	al)	
USB 3.2 Gen1 (5 Gbps) total	2x Type-A (1 with Anytime USB char	ge functionality)	
USB 4.0 Gen3 (20 Gbps) total	2x Type-C Intel® Thunderbolt™ 4 (40	<u>- </u>	
HDMI	1 v2.0b	,	
Ethernet (RJ-45)	1 (with status LED)		
Memory card slots	1 microSD 3.0 Standard microSD card: 2GB microSDHC card: 32GB microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)		
SmartCard slot	1 (optional)		
SIM card slot	1 (Nano-SIM, only for models with int	egrated 4G/5G LTE module)	
Docking connector for Port Replicator	1		
Kensington Lock support	1		
Port Replicator interfaces (optional)			
	Thunderbolt™ 4 PR	Mechanical PR Model: NPR50	USB Type-C PR
DC-in	1 (20V/170W required)	1 (19V/90W required)	1 (19V/90W required)
Power on switch	1	1	1
Audio: line-in / line-out			
Audio: comments	1 Combo jack for headset usage	Combo-Port	1 Combo jack for headset usage
	juen. ie. neudset dauge		

Port Replicator interfaces (optional)			
USB 3.2 Gen1 (5 Gbps) total		4x Type-A	
		2x Type-C	
DisplayPort	2x V1.4++	2 (up to 2x 3840x2160 60Hz)	1x V1.2
VGA		1 (up to 1920x1200 6Hz)	1
HDMI text	V 2.0b	1 (up to 4096x2160 60Hz)	1
Interface Notes	2x Type-A - 5V/0.9A, 4.5W 1x Type-A - 5V/2.4A, 12W 2x Type-C - 5V, 1.5A/4.5W charging port 1x Type-C - TBT4 up to 60 W (PD v2.0-1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO) 1x Type-C - TBT4 up to 15 W (PD v2.0-1.1), 5V/3.0A downstream, power output to client	The shown up to resolutions are maximum values each port and will be different depending on Multi-Display combinations.	3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input
Kensington Lock support	1	1 (lock Portrep only)	no
Ethernet (RJ-45)	1 (10/100/1000 Mbit/s, 2,5 Gbps)	1	1
Notes	Number of simultaneous used displays and its possible resolutions and frequencies depend on mobile system and display interface type. Please consult always also the manual of the connected client.	1 RJ45 (10/100/1000)	Number of simultaneous used displays and its possible resolutions and frequencies depend on mobile system and display interface type. Please consult always also the manual of the connected client.
Keyboard and pointing devices			
	Spill-resistant keyboard, Available with	standard keyboard or backlit keyboar	rd
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm		
	Multi gesture touchpad with two mou	se buttons	
Antennas	2 Dual band WLAN antennas, 2+2 LTE	antennas optional	
Bluetooth	v5.1	·	
Integrated WLAN	Intel WiFi 6 AX201 - WLAN, BT, SRD cat. 1		
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Access)		
WLAN notes	Import and usage according to countr	y-specific regulations.	
LTE/UMTS/GPS notes	Optional		
Integrated WWAN	LTE Sierra Wireless EM7421 (cat.7) - UN LTE Sierra Wireless EM9191 (5G) - UMT		
GPS	Embedded in 4G/5G module if configu	red with WWAN	
Power supply			
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 H	z - 60 Hz, 3-pin (grounded) Type-C AC-	-Adapter standard
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 H	· - · · · · · · · · · · · · · · · · · ·	· ·
1st battery	Lithium polymer battery 4-cell, 65 Wh,	· - · · · · · · · · · · · · · · · · · ·	γ··· · · · · · · · · · · · · · · · · ·
Battery features	Quick Charge: 80% in 1h	, ·	
Runtime 1st battery	14 h 10 min		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco. com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.		
Noise emission			
Noise emission	Please refer to the Eco Declaration		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	322 x 211 x 17.9 mm		
DIFFICUSIONS (WANDAN)	12.68 x 8.31 x 0.70 inch		
Weight	1.2 kg		

Dimensions / Weight / Environmental	
Weight (lbs)	2.64 lbs
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	20 - 80 %
Compliance	
Product	LIFEBOOK U7411
Model	7U14A2
Germany	GS (Full HD Display only)
Europe	CE
	СВ
USA/Canada	FCC (depending on configuration) (planned)
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) TCO Certified 8.0 (depending on configuration) EPEAT® Silver (dedicated regions), depending on configuration ENERGY STAR® 8.0 MIL-STD-810H tested
India	BIS
Russia	EAC
China	CCC (planned)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) Microsoft® Office Professional 2019 Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.)
Additional software (notes)	Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology
Manageability software	DeskView Client DeskView Instant BIOS Management
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
	booti (maac-you)

Physical Security			
User Security	Access protection via internal SmartCard reader (optional) Embedded fingerprint sensor (optional)		
	Embedded PalmSecure® sensor (optional) Hard disk password		
Security Notes	The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this product is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practices and/or general product operation.		
Warranty			
Warranty Terms & Conditions	http://www.fujitsu.com/warranty		
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu.com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.		
Product Support - the perfect extension			
Recommended Service	9x5, Onsite Response Time: Next Business Day		
Spare Parts availability	at least 5 years after shipment, for details see https://support.ts.fujitsu.com/		

http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

Port Replicator for LIFEBOOK U7x13, U7x12, E5x13, E5x12, U7411 and U7511

Service Weblink



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

FPCPR402BP

Order Code:

USB Type-C Port Replicator 2



Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA.

S26391-F3327-L100

You also can charge your external USB devices without the need of any additional charger.

during your workday.

USB Port Replicator PR09



The Fujitsu USB Port Replicator PR09 is the perfect solution for shared desk environments within a hyperconnected world. It connects your mobile system to your main peripherals with a single USB plug. This Port Replicator is equipped with the most powerful DisplayLink chipset supporting high performance video streaming with Dualhead-DisplayPort. Highest data throughput is guaranteed due to an USB Type-C based Gen2 Hub-Controller enabling up to 10 Gbit/s data streaming. The newest version of USB Power Delivery chipset (PD3.0) provides powerful charging

Order Code: S26391-F6007-L500

Battery 4 cell 65 Wh



The 4 cell 65 Wh battery has a the recharge time of the cell is 60 minutes for a 80% charge.

Order Code: FPCBP592BP USB-C Hub 4 Ports



Fujitsu offers the first most powerful USB-C hybrid usage hub, following industrial requirements as well as being ready for office desktop usage. The USB-C Hub 4 Ports from Fujitsu makes connecting all of your USB peripherals a quick and simple process. SuperSpeed USB Type-C makes data transfer to and from external storage faster than ever. The hub dynamically selects the optimal speed for each device, giving you more bandwidth where you need it automatically.

Order Code: S26391-F6099-L404

Privacy Filters



To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages.

Order Code: S26391-F6098-L214

Prestige Case Mini 13 (2021)



The Prestige Case Mini 13 protects notebooks with up to 13-inch screens. One main compartment has a notebook and a tablet pocket. You find two more useful compartments at the front. One with a red inlay is for accessories or power cable. An additional front compartment is for smaller

Order Code: S26391-F1120-L151

Wireless Mouse WI860 BTC



The Wireless Mouse WI860 BTC can be paired with up to 3 different clients, Order Code: 2x Bluetooth and 1x wireless USB Type-C dongle. With the blue optical sensor, it works on nearly all surfaces with an 3-step

S26381-K474-L100

adjustable DPI selector (800/1600/2400). The mouse charges wirelessly through Qi or by USB Type-C cable. A utility button on the side is programmable. The default functions are optimized for Teams calls.

More information

Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK U7411, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about Fujitsu Notebook LIFEBOOK U7411, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/Copyright 2023 Fujitsu Technology Solutions GmbH

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2023-05-02 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see https://www.fujitsu.com/global/about/resources/terms/
Copyright 2023 Fujitsu Technology Solutions GmbH